

N887P476150 / N887P476151


Product manual

Gebruiksaanweisung

Manuel du produit

Manual del producto

Manuale del prodotto



EN:Our product will be delivered to you in 2 packages.
The delivery times of these 2 packages may differ, please be patient and thank you for your understanding
FR:Notre produit vous sera livré en 2 colis.Les délais de livraison de ces 2 colis peuvent différer,soyez patient et merci de votre compréhension.
DE:Unser Produkt wird Ihnen in 2 Paketen geliefert.Die Lieferzeiten dieser 2 Pakete können abweichen, bitte haben Sie etwas Geduld und vielen Dank für Ihr Verständnis
IT:I nostri prodotti vengono trasportati in due pacchetti. I tempi di consegna dei due pacchetti sono diversi: abbiate pazienza e vi ringrazio per la vostra comprensione
ES:Nuestro producto se entrega en dos paquetes. El tiempo de entrega de estos dos paquetes es diferente. Por favor, sea paciente. Gracias por su comprensión.



FR
Cet appareil, ses cordons, et batterie se recyclent

À DÉPOSER EN MAGASIN



À DÉPOSER EN DÉCHÈTERIE



OU

Points de collecte sur www.quefairedemesdechets.fr
Privilégiez la réparation ou le don de votre appareil !



FR
Pensez à donner ou recycler.



Association

OU



Magasin

OU



Déchèterie

<https://quefairedemesdechets.fr>

 <p>2PERS</p>	 <p>45 MIN</p>	Tool Required Not Provided	
			
			
			



DE

1. Die maximale Tragfähigkeit der Oberplatte beträgt 330 kg, bitte nicht überladen.
2. Lassen Sie Kinder nicht auf Möbeln klettern, da dies zu Umstürzen und schweren Verletzungen führen kann.
3. Um die Sicherheit zu gewährleisten, installieren Sie bitte gemäß der Anleitung und ziehen Sie bei Bedarf Fachleute hinzu.
4. Stellen Sie Möbel nicht in die Nähe von Feuerquellen oder heißen Gegenständen, um Brandgefahr zu vermeiden.
5. Stellen Sie Möbel nicht in feuchten Umgebungen auf, um Materialschäden zu verhindern.
6. Überprüfen Sie regelmäßig alle Verbindungs- und Befestigungselemente, um sicherzustellen, dass sie fest sitzen und Unfälle zu vermeiden.
7. Dieses Produkt ist mit einem Kipp-Schutz ausgestattet, installieren Sie diesen Schutz, um Verletzungen durch Umstürzen zu vermeiden.

UK

1. The maximum weight capacity of the top panel is 330kg; please do not overload.
2. Do not allow children to climb on furniture, as this may cause tipping and serious injury.
3. To ensure safety, please install correctly according to the instructions and seek professional assistance if necessary.
4. Do not place furniture near fire sources or hot objects to avoid fire hazards.
5. Do not place furniture in damp environments to prevent material damage.
6. Regularly check all connectors and fasteners to ensure they are secure to prevent accidents.
7. This product comes with a anti-tipping device; install this device to prevent injuries from tipping.

FR

1. La charge maximale du panneau supérieur est de 330 kg, ne pas surcharger.
2. Ne laissez pas les enfants grimper sur les meubles, cela peut entraîner des basculements et des blessures graves.
3. Pour garantir la sécurité, installez correctement selon les instructions et demandez l'aide de professionnels si nécessaire.
4. Ne placez pas les meubles près de sources de chaleur ou d'objets chauds pour éviter les risques d'incendie.
5. Ne placez pas les meubles dans des environnements humides pour éviter d'endommager les matériaux.
6. Vérifiez régulièrement tous les connecteurs et les fixations pour vous assurer qu'ils sont bien serrés et éviter les accidents.
7. Ce produit est équipé d'un dispositif anti-basculement; installez ce dispositif pour éviter les blessures dues au basculement.

IT

1. La capacità massima del pannello superiore è di 330 kg; non sovraccaricare.
2. Non permettere ai bambini di arrampicarsi sui mobili, poiché ciò può causare ribaltamenti e gravi infortuni.
3. Per garantire la sicurezza, installare correttamente secondo le istruzioni e, se necessario, chiedere assistenza a professionisti.
4. Non posizionare i mobili vicino a fonti di calore o oggetti caldi per evitare rischi di incendio.
5. Non posizionare i mobili in ambienti umidi per prevenire danni ai materiali.
6. Controllare regolarmente tutti i connettori e le viti per assicurarsi che siano saldi e prevenire incidenti.
7. Questo prodotto è dotato di un dispositivo anti-ribaltamento; installare questo dispositivo per evitare infortuni da ribaltamento.

ES

1. La capacidad máxima del panel superior es de 330 kg; no sobrecargar.
2. No permita que los niños escalen los muebles, ya que esto puede causar volcaduras y lesiones graves.
3. Para garantizar la seguridad, instale correctamente según las instrucciones y busque ayuda profesional si es necesario.
4. No coloque los muebles cerca de fuentes de fuego u objetos calientes para evitar riesgos de incendio.
5. No coloque los muebles en ambientes húmedos para evitar daños en los materiales.
6. Revise regularmente todos los conectores y sujetadores para asegurarse de que estén seguros y prevenir accidentes.
7. Este producto viene con un dispositivo anti-vuelco; instale este dispositivo para prevenir lesiones por vuel-

vuelcos.

NL

- 1.De maximale draagcapaciteit van het bovenpaneel is 330 kg; niet overbelasten.
- 2.Laat kinderen niet op meubels klimmen, dit kan leiden tot omvallen en ernstige verwondingen.
- 3.Installeer correct volgens de instructies om de veiligheid te waarborgen, en schakel indien nodig professionele hulp in.
- 4.Plaats meubels niet in de buurt van vuurbronnen of warme objecten om brandgevaar te voorkomen.
- 5.Plaats meubels niet in vochtige omgevingen om materiaalschade te voorkomen.
- 6.Controleer regelmatig alle verbindingen en bevestigingsmiddelen om ervoor te zorgen dat ze stevig zijn en om ongevallen te voorkomen.
- 7.Dit product is uitgerust met een kantelbeveiliging; installeer dit apparaat om verwondingen door omvallen te voorkomen.





SE

- 1.Den maximala viktkapaciteten för överpanelen är 330 kg; överbelasta inte.
- 2.Låt inte barn klättra på möbler, då detta kan orsaka tippning och allvarliga skador.
- 3.För att säkerställa säkerheten, installera korrekt enligt instruktionerna och sök professionell hjälp om det behövs.
- 4.Placera inte möbler nära eldkällor eller heta föremål för att undvika brandrisk.
- 5.Placera inte möbler i fuktiga miljöer för att förhindra skador på materialen.
- 6.Kontrollera regelbundet alla kopplingar och fästelement för att säkerställa att de är säkra för att förhindra olyckor.
- 7.Denna produkt levereras med en anti-tippanordning; installera denna anordning för att förhindra skador vid tippning.

PL


- 1.Maksymalne obciążenie górnej płyty wynosi 330 kg; nie przeciążaj.
- 2.Nie pozwól dzieciom wspinać się na meble, ponieważ może to prowadzić do przewrócenia się i poważnych obrażeń.
- 3.Aby zapewnić bezpieczeństwo, zainstaluj prawidłowo zgodnie z instrukcją i w razie potrzeby skorzystaj z pomocy profesjonalistów.
- 4.Nie stawiaj mebli w pobliżu źródeł ognia lub gorących przedmiotów, aby uniknąć ryzyka pożaru.
- 5.Nie stawiaj mebli w wilgotnych środowiskach, aby zapobiec uszkodzeniu materiałów.
- 6.Regularnie sprawdzaj wszystkie złącza i elementy mocujące, aby upewnić się, że są stabilne i aby zapobiec wypadkom.
- 7.Produkt ten jest wyposażony w urządzenie zapobiegające przewróceniu; zainstaluj to urządzenie, aby uniknąć obrażeń w wyniku przewrócenia.

Importeur	Decobus Handel GmbH		
Adresse	Innungsstraße 9, 21244 Buchholz, Deutschland		
URL	https://www.decobusgroup.de		
Hersteller	Shouguang Easy Wood Co.,Ltd.		
Adresse	The Intersection of Yuanfeng Street and XinganRoad, AnjiaVillage,Gucheng Subdistrict,Shouguang City.		
Email/URL	hill@sgeasywood.com		
Partienummer	C355SQS20260303LY		
Hergestellt in	CHINA		
<table border="1"><tr><td>EC</td><td>REP</td></tr></table>	EC	REP	Decobus Handel GmbH Innungsstraße 9, 21244 Buchholz, Deutschland https://www.decobusgroup.de
EC	REP		




N887P476150

1




x1pc

2




x1pc

5




x1pc

6




x1pc

9




x1pc

10




x3pcs

13




x1pc

14




x1pc

15




x1pc

20




x3pcs

21



x3pcs


22



x2pcs


N887P476151

3




x1pc

4




x1pc

7




x2pcs

8




x1pc

11




x1pc

12




x2pcs

16




x2pcs

17




x2pcs

18




x2pcs

19




x3pcs

22






















x1pc


23



x3pcs

N887P476151

A <div>6*40</div>  <div>49PCS</div>	B <div>15*12</div>  <div>49PCS</div>	C <div>8*40</div>  <div>33PCS</div>
D <div>3.5*14</div>  <div>40PCS</div>	E <div>3.5*35</div>  <div>12PCS</div>	F <div>4*10</div>  <div>4PCS</div>
G <div>4*18</div>  <div>3PCS</div>	H  <div>7PCS</div>	J  <div>3PCS</div>
K  <div>14PCS</div>	L <div>L1</div>  <div>L2</div>  <div>2PCS</div>	M <div>3*8</div>  <div>6PCS</div>
N <div>N1</div>  <div>N2</div>  <div>N3</div>  <div>N4</div>  <div>2PCS</div>	P  <div>1PC</div>	Q  <div>6PCS</div>
<div>CL CR</div> <div>250mm</div>  <div>CL</div>  <div>CR</div> <div>3PCS</div>	<div>DL DR</div> <div>250mm</div>  <div>DL</div>  <div>DR</div> <div>3PCS</div>	




EN_QUICKFIT: Tighten quickfit until shoulder is flush with panel. Do not overtighten or undertighten.

FR_RACCORD RAPIDE: Faites serrer le raccord rapide jusqu'à ce que l'épaulement soit parfaitement encastré dans le panneau. Il ne faut ni trop serrer ni insuffisamment serrer.

ES_QUICKFIT: Apriete quickfit hasta que el hombro se descargue con el panel. NO lo sobreapriete ni lo apriete poco.

DE_QUICKFIT: Ziehen Sie den Quickfit fest, bis die Schulter mit der Platte bündig ist. Bitte nicht zu fest oder zu schwach anziehen.

IT_MONTAGGIO RAPIDO: Stringere il montaggio rapido fino a quando la spalla è a filo con il pannello, non stringere troppo o troppo poco.




EN_CAM LOCK: When fitting cam lock, ensure starting position is correct before you insert connecting quickfit.

FR_SERRURE BATTEUSE: Avant d'insérer la serrure batteuse, veillez à la bonne orientation avant d'insérer le raccord rapide.

ES_CIERRE DE LA CÁMARA: Cuando instale el cierre de la cámara, asegúrese de que la posición de inicio es correcta antes de que inserte el quickfit conector.

DE_CAM-LOCK: Achten Sie bei der Montage des Cam-Locks auf die richtige Ausgangsposition, bevor Sie den Quickfit einsetzen.

IT_BLOCCAGGIO A CAMMA: Quando si monta il bloccaggio a camma, assicurarsi che la posizione iniziale sia corretta prima di inserire il montaggio rapido di collegamento.



EN_Quickfit head should be in the centre of the cam lock when the two panels are joined.

Cam lock should be inserted before quickfit.

FR_Lorsque les deux panneaux sont assemblés, la tête du raccord rapide doit reposer au centre de la serrure batteuse. Il faut insérer la serrure batteuse avant le raccord rapide.

ES_El cabezal del quickfit debe estar en el centro del cierre de la cámara cuando se unan los dos paneles.

Se debe insertar el cierre de la cámara antes que el quickfit.

DE_Der Quickfit-Kopf sollte sich in der Mitte des Cam-Locks befinden, wenn die beiden Platten zusammengefügt sind.

Der Cam-Lock sollte vor dem Quickfit eingesetzt werden.

IT_La testa del montaggio rapido deve trovarsi al centro del bloccaggio a camma quando i due pannelli sono uniti.

Il Bloccaggio a Camma deve essere inserito prima del montaggio rapido.

EN_Turn cam lock clockwise to tighten.

FR_Faites tourner la serrure batteuse dans le sens des aiguilles d'une montre pour la resserrer.

ES_Gire el cierre de la cámara en sentido horario para apretarlo.

DE_Drehen Sie den Cam-Lock im Uhrzeigersinn, um ihn festzuziehen.

IT_Ruotare il bloccaggio a camma in senso orario per stringere.


1





Ax20PCS




Dx6PCS




CRx3PCS





CR




2





Ax6PCS




3





Ax4PCS



4



Ax7PCS





5




Dx6PCS



CLx3PCS




6



Cx2PCS



Hx3PCS





7



Bx2PCS



Cx2PCS





8




Bx4PCS




Cx4PCS





9



Bx2PCS




Cx2PCS





10




Bx2PCS




Cx2PCS




11




Bx1PC




12



Bx6PCS



Cx3PCS




13




Hx4PCS




Cx4PCS




14





15




Bx9PCS



Cx6PCS




16




17




Px1PC




Qx6PCS




Mx6PCS




18




Lx2PCS




Fx4PCS



19





20




Bx11PCS




Cx8PCS







21




Dx14PCS




Kx14PCS




22




23



24





Ax12PCS




Gx3PCS




Jx3PCS



25




Ex12PCS




26




Bx12PCS




Dx12PCS





DLx3PCS



DRx3PCS



27



28



Dx2PCS




N1x2PCS





N2x2PCS



N3x2PCS



N4x2PCS





This certificate is responsible for testing sample only.
Please refer to this corresponding test report to get testing process and data.

CERTIFICATE

ATTESTATION of conformity with UK legislation

Certificate's Holder : Shenzhen xu xing technology co., LTD
Address : Floor 3, building C, Huaze hi tech industrial Park, Shiyan street, Bao'an District, Shenzhen
Manufacturer : Shenzhen xu xing technology co., LTD
Address : Floor 3, building C, Huaze hi tech industrial Park, Shiyan street, Bao'an District, Shenzhen
Product Name: XX LED RGB STRIP
Model No.: XX5050RGB-60D, 5V-5050RGB-30D, 5V-5050RGB-60D, 12V-5050RGB-60D, 12V-5050RGB-30D, DY05RGB122, DY05RGB140, DY05RGB88
Trade Mark : N/A
Test Method : BS EN 62321-2:2014, BS EN 62321-3-1:2014, BS EN 62321-5:2014, BS EN 62321-4:2014+A1:2017, BS EN 62321-7-1:2015, BS EN 62321-7-2:2017, BS EN 62321-6:2015, BS EN 62321-8:2017
Relevant laws and regulations : The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (SI 2012 No.3032).

Certificate Number : HK25090210620R
Report No. : HK25090210620-1RR
Issue date : October 20, 2025

Jason Hui
HUAKE
APPROVAL
Certification Manager



The information of the certificate can be checked through www.huak.com. The UKCA mark which is shown on the certificate can only be used under the conditions that the products complete with all of the relevant Directives of UKCA Declaration of Conformity. The Manufacturer should be responsible for the internal production control so that the products complied with the essential requirements of the above mentioned Directive(s). Certificate holder must notify all changes to the original certification laboratory of HUAKE.

RoHS

Shenzhen HUAKE Testing Technology Co., Ltd.

Add: 12F, B2 Building, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, China
Tel: +86.0755.2982 9881 E-mail: info@huak.com Website: <http://www.huak.com>

Importeur	Decobus Handel GmbH
Adresse	Imnugsstraße 9 21244 Buchholz, Deutschland
URL	https://www.decobusgroup.de
Hersteller	Shouguang Easy Wood Co., Ltd.
Adresse	The Intersection of Yuanfeng Street and Xingan Road, Anjia Village, Gucheng Subdistrict, Shouguang City.
Email/URL	<Hill@sgeasywood.com>
Partienummer	N887P476147/N887P476148
Hergestellt in	CHINA
	Decobus Handel GmbH Imnugsstraße 9 21244 Buchholz, Deutschland https://www.decobusgroup.de



Produkt: LED-Lichtstreifen
Modell: CSX-5050
Nennspannung: 5V
Leistung: 15W/M

Shenzhen Promise Test Technology Co.,Ltd.
103, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai
Street, Baoan District, Shenzhen, Guangdong, China.



Certificate of Compliance

Certificate No.: PRMS2412153SC

Applicant : Shenzhen xu xing technology co., LTD
Address : Floor 3, building C, HuaZe hi tech Industrial Park, Shiyan street, Bao'an District, Shenzhen
Manufacturer : Shenzhen xu xing technology co., LTD
Address : Floor 3, building C, HuaZe hi tech Industrial Park, Shiyan street, Bao'an District, Shenzhen
Product : Colorful light strip
Trade Mark : /
Model(s) : XX5050RGB-60D
XX5050RGB-30D, XX5050RGB-72D, XX5050RGB-96D, XX5050RGB-120D,
XX2835-120D, XX2835-60D, XX2835-150D, XX2835-240D, XX2835-W,
Y-120D, XX2835-W, Y-60D, XX2025-120D
Test Standard : IEC 62321-5:2013 & IEC 62321-4:2013+A1:2017 &
IEC 62321-7-2:2017 & IEC 62321-6:2015 & IEC 62321-8:2017 & IEC
62321-3-1:2013 & IEC 62321-7-1:2015

This certificate of compliance is based on a test procedure or an evaluation of the above-mentioned product. This is to certify that the above-mentioned product is in compliance with the RoHS Directive 2011/65/EU Annex II amending Annex (EU)2015/863. It is only valid in connection with the test report number: PRMS2412153SR.

After preparation of the necessary technical documentation according the requirement of EN IEC 63000:2018 as well as the verification of conformity the CE marking as shown below can be affixed on the equipment.



This Certificate of Conformity is based on single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole product and relevant . Directives have to be observed.

+86-0755-23319501

info@pnms-test.com

www.pnms-test.com



Importeur	Decobus Handel GmbH
Adresse	Innungsstraße 9, 21244 Buchholz, Deutschland
URL	https://www.decobusgroup.de
Hersteller	Shouguang Easy Wood Co., Ltd.
Adresse	The Intersection of Yuanfeng Street and Xingan Road, Anjia Village, Gucheng Subdistrict, Shouguang City.
Email/URL	<Hill@sgeasywood.com>
Partienummer	N887P476147/N887P476148
Hergestellt in	CHINA
	Decobus Handel GmbH Innungsstraße 9, 21244 Buchholz, Deutschland https://www.decobusgroup.de
EC REP	



Produkt: LED-Lichtstreifen
Modell: CSX-5050
Nennspannung: 5V
Leistung: 15W/M



This certificate is responsible for testing sample only.
Please refer to this corresponding test report to get testing process and data.

CERTIFICATE

ATTESTATION Certificate of Compliance

Technical file of the company mentioned below has been inspected and audit
has been completed successfully
The RoHS Directive 2015/863/EU amending Annex II to Directive 2011/65/EU has been taken as
references for these processes.

Certificate's Holder : Shenzhen xu xing technology co., LTD
Address : Floor 3, building C, Huaze hi tech Industrial Park, Shiyan street, Bao'an District, Shenzhen
Manufacturer : Shenzhen xu xing technology co., LTD
Address : Floor 3, building C, Huaze hi tech Industrial Park, Shiyan street, Bao'an District, Shenzhen
Product Name : XX LED RGB STRIP
Model No. : XX5050RGB-60D, 5V-5050RGB-30D, 5V-5050RGB-60D, 12V-5050RGB-60D, 12V-5050RGB-30D, DY05RGB122, DY05RGB140, DY05RGB88
Trade Mark : N/A
Related Directive : Directive 2015/863/EU amending Annex II to Directive 2011/65/EU
Directive (EU)2017/2102 amending Annex III to Directive 2011/65/EU
IEC 62321-2:2021, IEC 62321-3-1:2013,
Test Method : IEC 62321-5:2013, IEC 62321-4:2013+AMD1:2017, IEC 62321-7-1:2015, IEC 62321-7-2:2017, IEC 62321-6:2015, IEC 62321-8:2017
Certificate Number : HK25090210619R
Report No. : HK25090210619-1RR
Issue date : October 20, 2025

Jason
Certification Manager



The information of the certificate can be checked through www.huak.com. The CE mark which is shown on the certificate can only be used under the conditions that the products complete with all of the relevant Directives of EC Declaration of Conformity. The Manufacturer should be responsible for the internal production control so that the products complied with the essential requirements of the above mentioned Directive(s). Certificate holder must notify all changes to the original certification laboratory of HUAK.

RoHS

Shenzhen HUAK Testing Technology Co., Ltd.

Add.:1-2/F, B2 Building, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, China
Tel.:+86-0755-2302 9901 E-mail:info@huak.com Website:https://www.huak.com

Importeur	Decobus Handel GmbH
Adresse	Innungsstraße 9, 21244 Buchholz, Deutschland
URL	https://www.decobusgroup.de
Hersteller	Shouguang Easy Wood Co., Ltd.
Adresse	The Intersection of Yuanfeng Street and Xingan Road, Anjia Village, Gucheng Subdistrict, Shouguang City.
Email/URL	<Hil@seasywood.com>
Partienummer	N887P476147/N887P476148
Hergestellt in	CHINA
	Decobus Handel GmbH
	Innungsstraße 9, 21244 Buchholz, Deutschland
	https://www.decobusgroup.de



Produkt: LED-Lichtstreifen
Modell: CSX-5050
Nennspannung: 5V
Leistung: 15W/M



This certificate is responsible for testing sample only.
Please refer to this corresponding test report to get testing process and data.

CERTIFICATE

ATTESTATION Certificate of Compliance

Technical file of the company mentioned below has been inspected and audit has been completed successfully

The EMC Directive 2014/30/EU has been taken as references for these processes.

Certificate's Holder : Shenzhen xu xing technology co., LTD
Address : Floor 3, building C, Huaze hi tech Industrial Park, Shiyao street, Bao'an District, Shenzhen
Manufacturer : Shenzhen xu xing technology co., LTD
Address : Floor 3, building C, Huaze hi tech Industrial Park, Shiyao street, Bao'an District, Shenzhen
Product Name : XX LED RGB STRIP
Product Model (S) : XX5050RGB-60D, 5V-5050RGB-30D, 5V-5050RGB-60D, 12V-5050RGB-60D, 12V-5050RGB-30D, DY05RGB122, DY05RGB140, DY05RGB88
Trade Mark : N/A
Related Directive : 2014/30/EU
Related Standards : EN IEC 55015:2019 + A11:2020
EN IEC 61000-3-2:2019 + A1:2021 + A2:2024
EN 61000-3-3:2013 + A1:2019 + A2:2021
EN IEC 61547:2023
Certificate Number : HK2509024994E
Report No. : HK2509024994-1ER
Registration Date : Oct. 21, 2025

Certification Manager



The information of the certificate can be checked through <https://www.huak.com>. The CE mark which is shown on the certificate can only be used under the conditions that the products complete with all of the relevant Directives of CE Declaration of Conformity. The Manufacturer should be responsible for the internal production control so that the products complied with the essential requirements of the above mentioned Directive(s). Certificate holder must notify all changes to the original certification laboratory of HUAKE.

Shenzhen HUAKE Testing Technology Co., Ltd.

Add.:1-2/F, B2 Building, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, China
Tel.:+86-0755-2302 9901 E-mail:info@huak.com Website:https://www.huak.com

Importeur	Decobus Handel GmbH
Adresse	Imnugstraße 9 21244 Buchholz, Deutschland
URL	https://www.decobusgroup.de
Hersteller	Shouguang Easy Wood Co., Ltd.
Adresse	The Intersection of Yuanfeng Street and Xingnan Road, Anjia Village, Gucheng Subdistrict, Shouguang City.
Email/URL	<Hill@sgeasywood.com>
Partienummer	N887P476147/N887P476148
Hergestellt in	CHINA
EC REP	Decobus Handel GmbH Imnugstraße 9, 21244 Buchholz, Deutschland https://www.decobusgroup.de



Produkt: LED-Lichtstreifen
Modell: CSX-5050
Nennspannung: 5V
Leistung: 15W/M



This certificate is responsible for testing sample only.
Please refer to this corresponding test report to get testing process and data.

CERTIFICATE

ATTESTATION Certificate of Compliance

Technical file of the company mentioned below has been inspected and audit has been completed successfully

The RED Directive 2014/53/EU has been taken as references for these processes.

Certificate's Holder : Shenzhen xu xing technology co., LTD
Address : Floor 3, building C, Huaize hi tech Industrial Park, Shiyan street, Bao'an District, Shenzhen
Manufacturer : Shenzhen xu xing technology co., LTD
Address : Floor 3, building C, Huaize hi tech Industrial Park, Shiyan street, Bao'an District, Shenzhen
Product Name : XX LED RGB STRIP
Product Model (S) : XX5050RGB-60D, 5V-5050RGB-30D, 5V-5050RGB-60D, 12V-5050RGB-60D, 12V-5050RGB-30D, DY05RGB122, DY05RGB140, DY05RGB88
Trade Mark : N/A
Related Directive : 2014/53/EU
Article 3.1a) : EN IEC 62368-1:2024 + A11:2024
EN 62479:2010
EN 50663:2017
Related Standards : **Article 3.1b)** : ETSI EN 301 489-1 V2.2.3 (2019-11)
ETSI EN 301 489-3 V2.3.2 (2023-01)
EN IEC 61000-3-2:2019 + A1:2021 + A2:2024
EN 61000-3-3:2013 + A1:2019 + A2:2021
Article 3.2) : ETSI EN 300 220-1 V3.1.1 (2017-02)
ETSI EN 300 220-2 V3.3.1 (2025-03)
Certificate Number : HK2509024992E
Report No. : HK2509024992-1SR/-2EH/-1ER/-2ER
Registration Date : Oct. 21, 2025



The information of the certificate can be checked through <https://www.huak.com>. The CE mark which is shown on the certificate can only be used under the conditions that the products complete with all of the relevant Directives of CE Declaration of Conformity. The Manufacturer should be responsible for the internal production control so that the products complied with the essential requirements of the above mentioned Directives. Certificate holder must notify all changes to the original certification laboratory of HUAKE.

Jason
Certification Manager



Shenzhen HUAKE Testing Technology Co., Ltd.

Add.:12/F, B2 Building, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, China
Tel.:+86-0755-2302 9901 E-mail:info@huak.com Website:https://www.huak.com

Importeur	Decobus Handel GmbH
Adresse	Innungsstraße 9, 21244 Buchholz, Deutschland
URL	https://www.decobusgroup.de
Hersteller	Shouguang Easy Wood Co., Ltd.
Adresse	The Intersection of Yuanfeng Street and Xingnan Road, Anjia Village, Gucheng Subdistrict, Shouguang City.
Email/URL	<Hill@seasywood.com>
Partienummer	N887P476147/N887P476148
Hergestellt in	CHINA
EC REP	Decobus Handel GmbH Innungsstraße 9, 21244 Buchholz, Deutschland https://www.decobusgroup.de



Produkt: LED-Lichtstreifen
Modell: CSX-5050
Nennspannung: 5V
Leistung: 15W/M