



MONTAGEANLEITUNG

N616P481611 / N616P481612

N616P481613(180 X 200)



Please check that you have all the parts listed before you start assembling, if you do find that something is missing, do not continue assembly, please contact us immediately.

NOTE: Please do not completely tighten all the hardware until the entire assembly is complete!

Bitte überprüfen Sie, ob alle Teile mitgeliefert sind, bevor Sie mit der Montage beginnen. Wenn Sie festlegen, dass etwas fehlt, setzen Sie die Montage nicht fort. Bitte kontaktieren Sie uns sofort.

Achtung : Bitte ziehen Sie nicht alle Schrauben fest, bevor die Montage abgeschlossen ist !

D Gebrauchsanweisung

NL Gebruiksrichtlijnen

IT Istruzioni per l'uso

CZ Pokyny k použití

HU Használati útmutató

PT Instruções de utilização

SK Pokyny k použitiu

GB Instructions for use

FR Instructions d'utilisation

PL Instrukcja obsługi

ES Instrucciones de empleo


RO Instrucțiuni de folosire

RU Инструкция по монтажу

TR Kullanım talimatları

This set will be shipped by 2 boxes and they may arrive on different days. If both packages arrived but parts missing, please contact customer service.

Dieses Set ist in 2 Boxen enthalten. Wenn Sie keine vollen 2 Boxen erhalten, wenden Sie sich bitte an unseren Kundenservice



English

IMPORTANT FOR GAS LIFT BEDS&MAINTAINANCE

- Please place the mattress on top of the bed frame.
- Please do not pull on the strap handles.
- Please press heavily to release the compressed gas.
- Periodically check all screw & fixings to ensure they are secure.
- When moving your product, carefully lift into place.
- Wipe clean with a slightly damp cloth- please do not use abrasive chemicals or bleach.
- Do NOT allow children to operate the lift mechanism.
- Do NOT allow children near the lift base when operating the mechanism.
- Do NOT stand inside the bed or the internal storage base.
- Do NOT overload the internal storage base.
- DO NOT jump on the product or any of its parts.

Deutsch

WICHTIG FÜR GASLIFT-BETTEN&WARTUNG

- Bitte legen Sie die Matratze oben auf den Bettrahmen.
- Bitte ziehen Sie nicht an den Gurtgriffen.
- Bitte drücken Sie kräftig, um das komprimierte Gas freizusetzen.
- Überprüfen Sie regelmäßig alle Schrauben und Befestigungen, um sicherzustellen, dass sie sicher sind.
- Wenn Sie Ihr Produkt bewegen, heben Sie es vorsichtig an seinen Platz.
- Mit einem leicht feuchten Tuch abwischen - bitte keine scheuernden Chemikalien oder Bleichmittel verwenden.
- Erlauben Sie Kindern NICHT, den Hebemechanismus zu bedienen.
- Lassen Sie Kinder NICHT in die Nähe des Liftsockels, wenn Sie den Mechanismus bedienen.
- Stellen Sie sich NICHT in das Bett oder in die Innenablage.
- Überlasten Sie den internen Liftsockel NICHT.
- Springen Sie NICHT auf das Produkt oder eines seiner Teile.

Français

IMPORTANT POUR LES LITS À RELEVAGE DE GAZ&MAINTENANCE

- Veuillez placer le matelas sur le dessus du cadre de lit.
- Ne tirez pas sur les poignées de la sangle.
- Appuyez fortement pour libérer le gaz comprimé.
- Vérifiez régulièrement que toutes les vis et fixations sont bien en place.
- Lorsque vous déplacez votre produit, soulevez-le avec précaution pour le mettre en place.
- Nettoyez avec un chiffon légèrement humide - n'utilisez pas de produits chimiques abrasifs ou d'eau de Javel.
- Ne laissez pas les enfants utiliser le mécanisme de levage.
- Ne laissez pas les enfants s'approcher de la base de levage lorsqu'ils actionnent le mécanisme.
- Ne vous tenez PAS à l'intérieur du lit ou de la base de stockage interne.
- Ne surchargez pas la base de stockage interne.
- Ne pas sauter sur le produit ou l'une de ses parties.

Italiano


IMPORTANTE PER I LETTI CON SOLLEVAMENTO A GAS E LA MANUTENZIONE

- Posizionare il materasso sopra la struttura del letto.
- Non tirare le maniglie della cinghia.
- Premere con forza per rilasciare il gas compresso.
- Controllare periodicamente tutte le viti e i fissaggi per assicurarsi che siano saldi.
- Quando si sposta il prodotto, sollevarlo con cautela.
- Pulire con un panno leggermente umido, senza usare prodotti chimici abrasivi o candeggina.
- NON permettere ai bambini di azionare il meccanismo di sollevamento.
- NON permettere ai bambini di avvicinarsi alla base di sollevamento quando si aziona il meccanismo.
- NON sostare all'interno del letto o della base di contenimento interna.
- NON sovraccaricare la base di contenimento interna.
- NON saltare sul prodotto o sulle sue parti.


Español

IMPORTANTE PARA LAS CAMAS ELEVADORAS DE GAS&MANTENIMIENTO


- Coloque el colchón sobre el somier.
- No tire de las asas de la correa.
- Presione con fuerza para liberar el gas comprimido.
- Compruebe periódicamente que todos los tornillos y fijaciones estén bien sujetos.
- Al mover el producto, levántelo con cuidado para colocarlo en su sitio.
- Limpie con un paño ligeramente humedecido; no utilice productos químicos abrasivos ni lejía.
- NO permita que los niños accionen el mecanismo de elevación.
- NO permita que los niños se acerquen a la base elevadora cuando accionen el mecanismo.
- NO se ponga de pie dentro de la cama o de la base de almacenamiento interna.
- NO sobrecargue el somier.
- NO salte sobre el producto ni sobre ninguna de sus piezas.




Stückliste




Part List-Stückliste N616P481611



Part List-Stückliste N616P481612




Part List-Stückliste N616P481613














Hardware List- Hardware-Liste

N616P481611


L x1 	R x1 	X x1 
Y x1 		

Hardware List- Hardware-Liste

N616P481613


A x2  M4x40mm	B x2  M6x35mm	C x4  M8x18mm	
D x24  M8x20mm	E x8  M8x30mm	F x20  M8x40mm	
G x1 	H x2 	J x16 	
Kx2 	M x8 	N x2 	
P x16  M8	Q x1 	S x26 	
T x13 	W x4 	Ux2 	V x2 


1





N616P481611: L / R / X / Y

2

D x 4	G x 1	H x 2	
			
M8 x 20mm			




2




3

D x 4  M8 x 20mm	F x 4  M8 x 40mm	G x 1 	J x 4 	
---	---	--	--	--



4

A x 2  M4 x 40mm	D x 4  M8 x 20mm	G x 1 	K x 2 	U x 2 	
---	---	--	--	--	--





5

D x 4



M8 x 20mm

G x 1



70%

6

E x 8







M8 x 30mm

G x 1




M x 8





7

F x 4  M8 x 40mm	G x 1 	J x 4 	
---	--	--	--



8

D x 8  M8 x 20mm	G x 1 	N x 2 	
---	--	--	--




9

C x 4



M8 x 18mm


G x 1




G C
70%

10



G x 1



G C
100%




11




12

F x 6  M8 x 40mm	G x 1 	J x 6 	P x 6  M8	Q x 1 	
---	--	--	--	--	--




13

B x 2  M6 x 35mm	G x 1 	J x 2 	
---	--	--	--






14

G x 1 	Fx 6  M8 x 40mm	P x 6  M8	Q x 1 	
--	--	--	--	--




15

V x 2









16

S x 26




T x 13





17

P x 4  M8	Q x 1 	
--	--	--



18

L x 1 	R x 1 	W x 4 	X x 1 	Y x 1 	
--	--	--	--	--	--





CERTIFICATE OF CONFORMITY

Low Voltage Directive 2014/35/EU

This Certificate of Conformity is hereby issued to the product designated below:

Certificate No.: 23SP04077L01
Report No.: SP2304077L01
Date Issue: 2023-04-15
Applicant's name: Huizhou Guoatong Technology Co., Ltd
Address: 4, 5F (PLANT B) NO.2 RUNZE RD SOUTH HIGH- TECH INDUSTRIAL PARK HUIAO AVENUE HUIZHOU GUANGDONG PR 516000 CHINA
Manufacturer's name: Huizhou Guoatong Technology Co., Ltd
Address: 4, 5F (PLANT B) NO.2 RUNZE RD SOUTH HIGH- TECH INDUSTRIAL PARK HUIAO AVENUE HUIZHOU GUANGDONG PR 516000 CHINA
Product Description: Adapter
Model(s)/Type References: GAT-050xxxx, GA-050xxxxv (xxxx is variables, see the attachment for details)
Parameters: Input: 100-240Vac, 50/60Hz, 0.45A or 0.6A
Output: 5Vdc, 1.0-2.1A
Standard(s): EN IEC 62368-1:2020/A11:2020

On the basis of the referenced test report(s), sample(s) tested of the above product have been found to comply with the standards harmonized with the directives listed on this verification at the time the tests were carried out. Other standards and Directives may be relevant to the product. This verification is part of the full test report(s) and should be read in conjunction with it(them).
Once compliance with all product relevant CE mark directives are verified, including any relevant e.g. risk assessment and production control, the manufacturer may indicate compliance by signing a Declaration of Conformity themselves and applying the mark to products identical to the tested sample(s).

Approved By

Eric Liu

Director of engineering department

Dongguan Pubiao Testing Technology Co., Ltd
No. 3, First Floor, Building A, No.30, Minghua Road, Juzhou village, Shijie Town, Dongguan City Guangdong China
Tel: +86 769 81813516 E-mail: service@pubiaotest.com Web: www.pubiaotest.com



CERTIFICATE OF CONFORMITY

Low Voltage Directive 2014/35/EU

Appendix of Certificate No.: XXXXXXXX

Model list:

Model	Rated output		
	Voltage range (VDC)	Current range (A)	Max. Power (W)
GAT-050xxxx, GA-050xxxxV	5.0	1.0-2.1	10.5

Remark:
xxxx=1000-2100 stands for rated output voltage range 1.0-2.1A with step of 1.0mA; For example, 1000 represent 1.0V, 2100 represent 2.1A.

Dongguan Pubiao Testing Technology Co., Ltd
No. 3, First Floor, Building A, No.30, Minghua Road, Juzhou village, Shijie Town, Dongguan City Guangdong China
Tel: +86 769 81813516 E-mail: service@pubiaotest.com Web: www.pubiaotest.com



CERTIFICATE OF CONFORMITY

Electromagnetic Compatibility (EMC) Directive 2014/30/EU

This Certificate of Conformity is hereby issued to the product designated below:

Certificate No.: 23EP04077E01
Report No.: EP2304077E01
Date Issue: 2023-04-21
Applicant's name: Huizhou Guoatong Technology Co., Ltd
Address: 4, 5F (PLANT B) NO.2 RUNZE RD SOUTH HIGH- TECH INDUSTRIAL PARK HUIAO AVENUE HUIZHOU GUANGDONG PR 516000 CHINA
Manufacturer's name: Same as applicant.
Address: Same as applicant.
Product Description: Adapter
Model(s)/Type References: GAT-050xxxx, GA-050xxxxv (xxxx is variables, see test report for details)
Parameters: Input: 100-240Vac, 50/60Hz, 0.45A or 0.6A
Output: 5Vdc, 1.0-2.1A
Standard(s): EN 55032:2015+A11:2020+A1:2020
EN 55035:2017+A11:2020
EN IEC 61000-3-2:2019+A1:2021
EN 61000-3-3:2013+A1:2019+A2:2021

On the basis of the referenced test report(s), sample(s) tested of the above product have been found to comply with the standards harmonized with the directives listed on this verification at the time the tests were carried out. Other standards and Directives may be relevant to the product. This verification is part of the full test report(s) and should be read in conjunction with it(them).
Once compliance with all product relevant CE mark directives are verified, including any relevant e.g. risk assessment and production control, the manufacturer may indicate compliance by signing a Declaration of Conformity themselves and applying the mark to products identical to the tested sample(s).

Approved By

Eric Liu

Director of engineering department

Dongguan Pubiao Testing Technology Co., Ltd
No. 3, First Floor, Building A, No.30, Minghua Road, Juzhou village, Shijie Town, Dongguan City Guangdong China
Tel: +86 769 81813516 E-mail: service@pubiaotest.com Web: www.pubiaotest.com

Rhenish-Lab

Quality-Assured

Report No.: RLT2406068-01

TEST REPORT DECLARATION

Applicant	: EYUE TECHNOLOGY CO., LTD
Address	: 2F, XINWANGYUAN HIGH-TECH INDUSTRIAL PARK, ZHANGMUTOU TOWN, DONGGUAN, GUANGDONG, 523627 CHINA
EUT Description	: Reading light
Model Number	: EY-L119, EY-L111, EY-L118, EY-LXXX (Note: "A to Z, 0 to 9" Only for models used as additional models, all tests were tested on model EY-L119)
Ratings	: AC 100-240V

Test Standards:

EN IEC 55015:2019+A11:2020,
EN 61547:2023
EN IEC 61000-3-2:2019/A1:2021
EN 61000-3-3:2013/A2:2021/AC:2022

This report shows that the EUT technically complies with the 2014/30/EU directive and its amendment requirements.

The test report is valid for above tested sample only and shall not be reproduced in part without written approval of the laboratory.

Prepared by:

huay Jiang

Assistant

Reviewer:

Cindy yang

Supervisor

Approved & Authorized Signer:

Manager

Declaration of Conformity

Certificate No. : RLT2406068-02

Applicant : EYUE TECHNOLOGY CO., LTD
2F, XINWANGYUAN HIGH-TECH INDUSTRIAL PARK,
ZHANGMUTOU TOWN, DONGGUAN, GUANGDONG, 523627 CHINA

Manufacturer : EYUE TECHNOLOGY CO., LTD
2F, XINWANGYUAN HIGH-TECH INDUSTRIAL PARK,
ZHANGMUTOU TOWN, DONGGUAN, GUANGDONG, 523627 CHINA

Product Name : reading light

Trademark : N/A

Main Test Model : EY-L119

Additional Model : EY-L111, EY-L118, EY-LXXX

Test Standard : EN IEC 60598-2-2:2012 used in conjunction with
EN IEC 60598-1:2021 + AMD11:2022

As shown in the Test Report No. : RLT2406068-02

The EUT described above has been tested by us with the listed standards and found in compliance with the council LVD directive 2014/35/EU. It is possible to use CE marking to demonstrate the compliance with this LVD Directive.

The certificate applies to the tested sample above mentioned only and shall not imply an assessment of the whole production.



Rhenish-Lab Certification & Testing (Shenzhen) Co., Ltd.

101, Building B, Bailu Plaza, No.48, Gonghe Industrial Road, Gonghe, Xixiang Subdistrict, Bao'an District, Shenzhen, Guangdong, China

www.rhenish-lab.com Tel: +86-755-23012546 Email: service001@rhenish-lab.com



Certificate of Conformity

Certificate Number: DL-20230412023C

Applicant: Shenzhen Blue The Light Technology co., Ltd.

Floor 4, Building 2, Hongxing Industrial Park, Yuanling Village, Shiyao Town, Baoan District, Shenzhen, China

Manufacturer: Shenzhen Blue The Light Technology co., Ltd.

Floor 4, Building 2, Hongxing Industrial Park, Yuanling Village, Shiyao Town, Baoan District, Shenzhen, China

Product: LED Strip

Model No.: LG-5050-60L
LG-5050-30L, LG-5050-72L, LG-5050-84L, LG-5050-96L, LG-5050-120L,
LG-2835-60L, LG-2835-90L, LG-2835-96L, LG-2835-108L, LG-2835-120L,
LG-2835-140L, LG-2835-160L, LG-2835-240L

Test Standard: EN IEC 55015:2019+A11:2020
EN IEC 61000-3-2:2019+A1:2021, EN 61000-3-3:2013+A1:2019+A2:2021
EN 61547:2009
EN 61000-4-2:2009, EN IEC 61000-4-3:2020, EN 61000-4-4:2012,
EN 61000-4-5:2014+A1:2017, EN IEC 61000-4-6:2022,
EN 61000-4-8:2010, EN IEC 61000-4-11:2020

The EUT described above has been tested by us with the listed standards and found in compliance with the council EMC directive 2014/30/EU. It is possible to use CE marking to demonstrate the compliance with this EMC Directive. It is only valid in connection with the test report number: DL-20230412023E.



This certificate of conformity is based on a single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole product and relevant. Without the written approval, It is not permitted to use the test lab's logo.

Shenzhen DL Testing Technology Co., Ltd.
101-201, Building C, Shuanghuan, No.8, Baoqing Road, Baoqing Industrial Zone, Baoqing Street, Longgang District, Shenzhen, Guangdong, China

Web: www.dl-cert.com E-mail: Service@dl-cert.com Tel: 400-688-3552



Certificate of Conformity

Certificate No. : RLT2409164-03

Applicant : EYUE TECHNOLOGY CO., LTD
2F, XINWANGYUAN HIGH-TECH INDUSTRIAL PARK,
ZHANGMUTOU TOWN, DONGGUAN, GUANGDONG, 523627 CHINA

Manufacturer : EYUE TECHNOLOGY CO., LTD
2F, XINWANGYUAN HIGH-TECH INDUSTRIAL PARK,
ZHANGMUTOU TOWN, DONGGUAN, GUANGDONG, 523627 CHINA

Product Name : Reading light

Trademark : N/A

Main Test Model : EY-L119

Additional Model : EY-L111 EY-L118 EY-LXXX

Test Standard : IEC 62321-4:2013+AMD1:2017, IEC 62321-5:2013,
IEC 62321-6:2015, IEC 62321-7-1:2015,
IEC 62321-7-2:2017, IEC 62321-8:2017

As shown in the Test Report No. : RLT2409164-03

The EUT described above has been tested by us and found in compliance with the council RoHS 2 Directive 2011/65/EU Annex II (EU) 2015/863 as last amended by Directive (EU) 2017/2102. This certificate is only valid in conjunction with the test report.

RoHS



Daniel Wan
Manager
Oct.08, 2024

Rhenish-Lab Certification & Testing (Shenzhen) Co., Ltd.

101, Building B, Bailu Plaza, No.48, Gonghe Industrial Road, Gonghe, Xixiang Subdistrict, Bao'an District, Shenzhen, Guangdong, China

www.rhenish-lab.com Tel: +86-755-23012546 Email: service001@rhenish-lab.com