


Installationsanleitung Installation Instruction Instruction d'installation



Unser Produkt wird Ihnen in 2 Paketen geliefert. Die Lieferzeiten dieser 2 Pakete können abweichen, bitte haben Sie etwas Geduld und vielen Dank für Ihr Verständnis.

Our product will be delivered to you in 2 packages. The delivery times of these 2 packages may differ, please be patient and thank you for your understanding.

Notre produit vous sera livré en 2 colis. Les délais de livraison de ces 2 colis peuvent différer, soyez patient et merci pour votre compréhension.

N636P331631 N636P331632

English

IMPORTANT ! KEEP FOR FUTURE REFERENCE : READ CAREFULLY

- To be assembled by an adult. Assembly must be checked by an adult before use
- WARNING! Keep all screws, small parts and plastic bags out of the reach of children
- Properly identify all parts before assembling
- Never use your item if any of its parts are broken or missing
- Should any problems arise, please contact our After Sales Service
- Manufacturer's instructions shall be followed at all times
- Care: Clean with a soft, dry cloth. In case of larger stains, carefully rub with a slightly damp, non- abrasive sponge
- Avoid the risk of fire by not placing furniture near sources of ignition or hot items
- Do not jump on the bed

Deutsch

WICHTIG! ZUM SPÄTEREN NACHSCHLAGEN AUFBEWAHREN: SORGFÄLTIG LESEN

- Muss von einem Erwachsenen zusammengebaut werden. Der Zusammenbau muss vor dem Gebrauch von einem Erwachsenen überprüft werden
- WARNUNG! Bewahren Sie alle Schrauben, Kleinteile und Plastikbeutel außerhalb der Reichweite von Kindern auf
- Kennzeichnen Sie vor dem Zusammenbau alle Teile richtig
- Benutzen Sie Ihren Artikel niemals, wenn Teile gebrochen sind oder fehlen
- Sollten Probleme auftreten, wenden Sie sich bitte an unseren Kundendienst
- Die Anweisungen des Herstellers sind stets zu befolgen
- Pflege: Mit einem weichen, trockenen Tuch reinigen. Bei größeren Flecken vorsichtig mit einem leicht feuchten, nicht scheuernden Schwamm abreiben. nicht scheuernden Schwamm
- Vermeiden Sie die Gefahr eines Brandes, indem Sie die Möbel nicht in der Nähe von Zündquellen oder heißen Gegenständen aufstellen
- Nicht auf das Bett springen



Français

IMPORTANT! CONSERVER POUR RÉFÉRENCE ULTÉRIEURE: LIRE ATTENTIVEMENT

- Le montage doit être effectué par un adulte. Le montage doit être vérifié par un adulte avant utilisation
- ATTENTION! Tenir les vis, les petites pièces et les sachets en plastique hors de portée des enfants
- Identifiez correctement toutes les pièces avant de les assembler
- N'utilisez jamais votre article si l'une de ses pièces est cassée ou manquante
- En cas de problème, veuillez contacter notre service après-vente
- Les instructions du fabricant doivent être respectées à tout moment
- Entretien: nettoyer avec un chiffon doux et sec. En cas de taches plus importantes, frotter soigneusement avec une éponge non abrasive légèrement humide. légèrement humide et non abrasive
- Évitez les risques d'incendie en ne plaçant pas les meubles à proximité de sources d'inflammation ou d'objets chauds
- Ne pas sauter sur le lit

- Deve essere assemblato da un adulto. L'assemblaggio deve essere controllato da un adulto prima dell'uso
- **ATTENZIONE!** Tenere tutte le viti, le piccole parti e i sacchetti di plastica fuori dalla portata dei bambini
- Identificare correttamente tutte le parti prima dell'assemblaggio
- Non utilizzare mai l'articolo se alcune parti sono rotte o mancanti
- In caso di problemi, si prega di contattare il nostro Servizio Post Vendita
- Le istruzioni del produttore devono essere sempre seguite
- Cura: Pulire con un panno morbido e asciutto. In caso di macchie più estese, strofinare accuratamente con una spugna leggermente umida e non spugna leggermente umida e non abrasiva
- Evitare il rischio di incendio, non collocando i mobili vicino a fonti di accensione o a oggetti caldi
- Non saltare sul letto

- Debe ser montado por un adulto. El montaje debe ser comprobado por un adulto antes del uso
- **ADVERTENCIA** Mantenga todos los tornillos, piezas pequeñas y bolsas de plástico fuera del alcance de los niños
- Identifique correctamente todas las piezas antes de montarlas
- Nunca utilice su artículo si alguna de sus piezas está rota o falta
- Si surge algún problema, póngase en contacto con nuestro Servicio Postventa
- Las instrucciones del fabricante deben seguirse en todo momento
- Cuidado: Limpiar con un paño suave y seco. En caso de manchas más grandes, frote cuidadosamente con una esponja no abrasiva ligeramente humedecida
- Evite el riesgo de incendio no colocando los muebles cerca de fuentes de ignición u objetos calientes
- No saltar sobre la cama











Vor dem Einbau die Schrauben in die Löcher stecken und festziehen, aber nicht bis 100%, 70% bis 80% anziehen reicht aus. Schließlich, nachdem alle Schrauben installiert sind, ziehen Sie alle Schrauben auf 100%. Wenn Sie auf diese Probleme stoßen, wie z. B. Fehlausrichtung der Löcher oder Unfähigkeit, bestimmte Teile zu installieren, überprüfen Sie bitte, ob die Schrauben korrekt verwendet werden und passen Sie die Dichtigkeit der Schrauben an.

Before installation, insert the screws into the holes and tighten them, but do not tighten them to 100%, 70% to 80% is sufficient. Finally, after all screws are installed, tighten all screws to 100%. If you encounter these issues, such as if the holes cannot be aligned or some parts cannot be installed, please check if the screws are used correctly and adjust the tightness of the screws.

Insérer la vis dans le trou avant la fin de l'assemblage, serrer la vis, mais ne pas serrer à 100%, 70% ~ 80% est correct. Enfin, une fois que toutes les vis sont bien serrées, toutes les vis sont serrées à 100%. Si vous rencontrez ces problèmes, par exemple si les trous ne sont pas alignés ou si certaines pièces ne peuvent pas être montées, vérifiez que les vis sont utilisées correctement et Ajustez leur serrage.

Hardware List For N636P331632




 M8×18mm A x 65	 M6x10mm B x 22	 M6x15mm C x20	 Ø6×38mm D x 22	 M8x40mm E x 5	 M8x10mm F x 2
 Ø6×25mm G x 2	 Ø15x9.5mm H x 2	 Ø4x10mm I x 2	 Ø6x25mm J x 2	 K x 8	 L x 2
 M x 4	 M5 N x 1	 M4 O x 1			

 M6x10mm B x 22	 M6x15mm C x 20	 Ø6x38mm D x 22
---	---	---

DE:Bitte beachten Sie, dass die Formen der Schrauben B und C und D ähnlich sind. Bitte installieren Sie entsprechend der Anleitung und unterscheiden Sie sie!

UK:Please note that the shapes of screws B and C and D are similar. Please install according to the instructions and distinguish them!

FR:Notez que les vis B et C et D ont des formes similaires. Veuillez les installer en suivant les instructions pour les séparer!

 M8x18mm A x 65	 M8x40mm E x 5	 M8x10mm F x 2
---	--	--


DE:Bitte beachten Sie, dass die Formen der Schrauben A und E und F ähnlich sind. Bitte installieren Sie entsprechend der Anleitung und unterscheiden Sie sie!

UK:Please note that the shapes of screws A and E and F are similar. Please install according to the instructions and distinguish them!

FR:Notez que les vis A et E et F ont des formes similaires. Veuillez les installer en suivant les instructions pour les séparer!

Part list


SKU:N636P331631/N636P331632




SKU:N636P331631

PART LIST (N636P331631) / STÜCKLISTE (N636P331631)


① x1




② x1




③ x1




④ x1




⑱ x2




⑲ x1




⑳ x2




㉑ x1




㉒ x1




㉓ x1



㉕ x2




㉗ x1




SKU:N636P331632

PART LIST (N636P331632) / STÜCKLISTE (N636P331632)


⑤ x2




⑥ x1




⑦ x1




⑧ x1




⑨ x1




⑩ x3




⑪ x2




⑫ x1




⑬ x1




⑭ x1



⑮ x1




⑯ x1




17 x1



24 x2




26 x8




27 x10



28 x2




29 x1




30 x9



31 x1




32 x1



Step 1

B  **x4**
M6 x10mm





	M6x10mm
	M6x15mm
	Ø6x38mm

Step 2


LED **33** :




1. Please align the position to remove the red sticker behind the light strip carefully when installing, and then paste it to the product.
2. Please tear off the light strip slowly when changing the position to prevent breaking.



Step 3


G  **x2**
Ø6×25mm

J  **x2**
Ø6×25mm



Step 4

H  **x2**




Step 5

I



x2

Ø4 x 10mm




Step 6

D



x4


Ø6×38mm



	M6x10mm
	M6x15mm
	Ø6x38mm

Step 7


D**x12**
Ø6×38mm



	M6x10mm
	M6x15mm
	Ø6x38mm

Step 8


B**x6**
M6 x10mm



	M6x10mm
	M6x15mm
	Ø6x38mm

Step 9


B  **x12**
M6 x10mm



	M6x10mm
	M6x15mm
	Ø6x38mm

Step 10

A  **x6**
M8 x18mm



	M8x18mm
	M8x10mm
	M8x40mm


Step 11

A



x6

M8 x18mm



	M8x18mm
	M8x10mm
	M8x40mm


Step 12

D



x6

Ø6X38mm



	M6x10mm
	M6x15mm
	Ø6x38mm


Step 13

C



x6

M6 x15mm



	M6x10mm
	M6x15mm
	Ø6x38mm


Step 14

A



x4

M8 x18mm



	M8x18mm
	M8x10mm
	M8x40mm


Step 15

A






x4

M8 x18mm






	M8x18mm
	M8x10mm
	M8x40mm

Step 16




Step 17




18


Step 18

C  **x4**
M6 x15mm



	M6x10mm
	M6x15mm
	Ø6x38mm

Step 19




19

Step 20

A

**x3**

M8 x18




	M8x18mm
	M8x10mm
	M8x40mm

Step 21

A

**x2**

M8 x18



	M8x18mm
	M8x10mm
	M8x40mm


Step 22

A



x4

M8 x18mm



	M8x18mm
	M8x10mm
	M8x40mm


Step 23

A



x4

M8 x18mm



	M8x18mm
	M8x10mm
	M8x40mm


Step 24

A



x4

M8 x18mm



	M8x18mm
	M8x10mm
	M8x40mm


Step 25

A



x6


M8 x18mm




	M8x18mm
	M8x10mm
	M8x40mm

Step 26


A  **x4**
M8 x18mm




	M8x18mm
	M8x10mm
	M8x40mm


Step 27

A  **x2**
M8 x18mm



	M8x18mm
	M8x10mm
	M8x40mm

Step 28



A




x4

M8 x 18mm

	M8x18mm
	M8x10mm
	M8x40mm

Step 29



E




x1

M8 x 40mm

	M8x18mm
	M8x10mm
	M8x40mm


Step 30



A  **x4**
M8 x 18mm

	M8x18mm
	M8x10mm
	M8x40mm

Step 31



E  **x4**
M8 x 40


	M8x18mm
	M8x10mm
	M8x40mm

Step 32







M



x4



x2




x2

Step 33

K



x8




Step 34

C



x8

M6 x 15mm



	M6x10mm
	M6x15mm
	Ø6x38mm

Step 35

C




x2


M6 x15mm

L



x2



	M6x10mm
	M6x15mm
	Ø6x38mm


Step 36

F




x2

M8 x10mm



	M8x18mm
	M8x10mm
	M8x40mm

Step 37



Put the **F** screws into the whole and press it into the bottom of the “” whole.

LotusLantern APP Manual

1. Software Overview

1.1 Overview

LotusLantern is a mobile APP to control LED strip by both IOS and Android phones. The traditional control ways like infrared, 433MHz, 2.4GHz and others old wired ways will be replaced by mobile phone control way with convenient, powerful and scalable features.

Through this mobile APP , you can not only control the color, brightness and color temperature of the LED strips but also set up all kinds of fancy flash mode ; Also this APP can change the light of the LED strip according to the rhythm of the music. This APP can set and control several LED strips through Bluetooth and the operation is very simple, easy to learn and easy to use.

1.2 Features

- Adjust color LED strips with 60,000 colors to change color and brightness and adjust monochrome LED strips to change brightness and color temperature
- Play music or turn on a sound playback device, you can let the light change the color and brightness with the rhythm of music, the music rhythm beautiful
- Inside multiple setting mode for color change and control LED strips without mobile
- Long distance control with omni-directional antenna, and many-to-many group control mode
- Once the connection is successful, connect automatically next time

1.3 Performance

LotusLantern APP is easy for use as well as great compatible with all kinds of smart phones; After the actual test of hundreds of mobile phones verification, the compatibility is above 95% of mobile phones in the market. APP is small and convenient, it consumes less system resources, so the requirements of the mobile configuration are low. Control delay is small, the operation feels good, light control is smooth with people's visual sense.

2. Operating Environment

This APP program requires phones of system above Andriod 4.3 and IOS 8.0. Mobile phone configuration is not limited.

3. Instructions

Note: Android version and iOS version download and use the same method, here in the Android version as an example.

3.1 APP Download

Scan the QR code


IOS and Android systems can download the "LotusLantern" APP by scanning the QR code. Open the browser or other tools with "Scan QR code" function, scan the "LotusLantern" QR code as below:




1

3.2 App Operation

(1) Click on the LotusLantern APP icon, enter the APP page:



(2) After entering the APP interface, if Bluetooth is not enabled, "an application wants to enable the Bluetooth function of this device." Click [Allow]



(3) switch to color and brightness interface:

Click to show the lamp list

Switch the color wheel

Display the RGB value
Click to manual adjustment view

Click to shift the interface

Click to display setting view

Lamp switch button

Adjust the color

Click square icon to adjust the color




2

(4) click to show the lamp list, view lamp list:


Bluetooth auto connect after search for devices

Lamp list


Status of device connection



Status of device connection



(5) Click to RGB manual adjustment view:




3

(6) switch to the mode interface:

Scroll the selection mode

Adjust speed

Adjust brightness




(7) switch to the music rhythm interface:

Previous song, Pause/Play, Next song


Plav mode

Music List




4

(8) Switch to the online music interface:




(9) Switch to the microphone rhythm interface:

Music rhythm through cell phone microphone



Switch phone microphone and external microphone

Music rhythm through the microphone on the product



Switch phone microphone and external microphone

4-style rhythm


Change the sensitivity of MIC to match the sound

5

(10) Switch to the schedule interface:

Set the time of Light-On

Set the time of Light-Off



Enable or disable the Light-On function

Repeat setting
No selection for once Light-On


Enable or disable the Light-Off function

Repeat setting
No selection for once Light-Off

(11) Switch to the modify pin sequence interface:

Click to save the new assignment

Change the real color of this line



Technical parameters:

Working temperature: -20-60°C (-4 F°-140 F°)

Power supply voltage: DC5-24V

Output: 3 Loops

Static power consumption: <0.5W

Output current: <3A(each circuit)5V <30W 12V<108 24V<21 6W

6



Certificate of Conformity

Certificate No. : SIT190523591401E
Product : LED Strip Light
Model : 2835, 5050, 3528, 3014, 2110, 335, 5630
Trade Mark : N/A
Applicant : SHENZHEN KEWANG PHOTOELECTRIC CO., LTD.
Address : Floor 2, Build A, ChuangFu Industrial Park, AiQun Road, ShiYan Street, BaoAn District, ShenZhen
Manufacturer : SHENZHEN KEWANG PHOTOELECTRIC CO., LTD.
Address : Floor 2, Build A, ChuangFu Industrial Park, AiQun Road, ShiYan Street, BaoAn District, ShenZhen

The above products have been tested by us with listed standards and found in compliance with the council EMC 2014/30/EU. It is possible to use CE marking to demonstrate the compliance with this EMC.

Test standards:	Report(s) Number	Issued By	Issued Date
EN 55015:2013+A1:2015 EN 62493:2015 EN 61547:2009 EN 61000-3-2:2014 EN 61000-3-3:2013	SIT190523591401ER	SIT	May 30, 2019

This certificate of conformity is not transferable and based on an evaluation of a sample of the above mentioned product.



Authorized Signer: _____

Department Manager

Date: May 30, 2019

Shenzhen SIT Testing Technology Co., Ltd.

Hotline: 400-6633-940

Tel: (86)-0755-29173399

Fax: (86)-0755-29179933

Http://www.sit-cert.com



Certification of Compliance

Under FCC Supplier's Declaration of Conformity

Certificate No.:SIT190523591401F

Applicant : SHENZHEN KEWANG PHOTOELECTRIC CO., LTD.
Address : Floor 2, Build A, ChuangFu Industrial Park, AiQun Road, ShiYan Street, BaoAn District, ShenZhen
Manufacturer : SHENZHEN KEWANG PHOTOELECTRIC CO., LTD.
Address : Floor 2, Build A, ChuangFu Industrial Park, AiQun Road, ShiYan Street, BaoAn District, ShenZhen
Product Name : LED Strip Light
Model No. : 2835, 5050, 3528, 3014, 2110, 335, 5630
Trade Name : N/A
FCC Rules : FCC Part 15 Subpart B
Report No. : SIT190523591401FR

Based upon the referenced test report(s), sample of the above product have been found to comply with the FCC rules listed on this certificate.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.



Authorized Signer: _____

Department Manager

Date: May 30, 2019

Shenzhen SIT Testing Technology Co., Ltd.

Email:Info@sitcert.com

Tel: (86)-0755-29173399

Fax: (86)-0755-29179933

Http://www.sit-cert.com



Certificate of Conformity

Certificate No. : SIT190523591401S
Product : LED Strip Light
Model : 2835, 5050, 3528, 3014, 2110, 335, 5630
Trade Mark : N/A
Applicant : SHENZHEN KEWANG PHOTOELECTRIC CO., LTD.
Address : Floor 2, Build A, ChuangFu Industrial Park, AiQun Road, ShiYan Street, BaoAn District, ShenZhen
Manufacturer : SHENZHEN KEWANG PHOTOELECTRIC CO., LTD.
Address : Floor 2, Build A, ChuangFu Industrial Park, AiQun Road, ShiYan Street, BaoAn District, ShenZhen

The above products have been tested by us with listed standards and found in compliance with the council RoHS 2011/65/EU and revise directive(EU)2015/863.

It is possible to use RoHS marking to demonstrate the compliance with this RoHS.

Test standards:	Report(s) Number	Issued By	Issued Date
IEC 62321-3-1:2013 IEC 62321-5:2013 IEC 62321-6:2015 IEC 62321-7-1:2015 IEC 62321-4:2013+AMD1:2017 IEC 62321:2008 ANNEX C	SIT190523591401SR	SIT	May 30, 2019

This certificate of conformity is not transferable and based on an evaluation of a sample of the above mentioned product.

RoHS

Authorized Signer: _____

Department Manager

Date: May 30, 2019



Shenzhen SIT Testing Technology Co., Ltd.

Hotline:400-6633-940

Tel: (86)-0755-29173399

Fax: (86)-0755-29179933

Http://www.sit-cert.com

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: YA LI ELECTRIC CO LTD

Manufacturer: YA LI ELECTRIC CO LTD

Address: Room 801, Building 9, No. 6, Yuyuan 4th
Road Huangjiang Town,
Dongguan, Guangdong, 52300

Address: Room 801, Building 9, No. 6, Yuyuan 4th
Road Huangjiang Town,
Dongguan, Guangdong, 52300


Country: China

Country: China

Party Authorized To Apply Mark: Same as Manufacturer

Report Issuing Office: Intertek Testing Services Shenzhen Limited Guangzhou Branch

Control Number: 5008876

Authorized by: 
for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Furniture Power Distribution Units [UL 962A:2023 Ed.6] Cord Reels and Multi-outlet Assemblies [CSA C22.2#308:2018 Ed.2]
Product:	Furniture power distribution unit
Brand Name:	YA LI
Models:	YL-SKUL-601, YL-SKUL-601A, YL-SKUL-602, YL-SKUL-603, YL-SKUL-605, YL-SKUL-605A, YL-SKUL-606, YL-SKUL-606A, YL-SKUL-607, YL-SKUL-608, YL-SKUL-609, YL-SKUL-609A, YL-SKUL-609B, YL-SKUL-610, YL-SKUL-610A, YL-SKUL-610-20W, YL-SKUL-611A, YL-SKUL-611B, YL-SKUL-611C, YL-SKUL-612B, YL-SKUL-612C, YL-SKUL-612D, YL-SKUL-613, YL-SKUL-615, YL-SKUL-615A, YL-SKUL-615B, YL-SKUL-615C, YL-SKUL-615-20W, YL-SKUL-617, YL-SKUL-618, YL-SKUL-619, YL-SKUL-620

Importeur	Decobus Handel GmbH
Adresse	Innungsstraße 9, 21244 Buchholz, Deutschland
Email/URL	https://www.decobusgroup.de
Hersteller	Dongguan Yali Elektrotechnik Co., Ltd.
Adresse	Huangjiang Stadt, Dongguan, Guangdong Yuyuan Industriegebiet Yuyuan 4. Straße 6, Maomingde Industriepark
Email/URL	38053076@qq.com
Partienummer	20250716-08
Hergestellt in	CHINA
EC REP	Decobus Handel GmbH Innungsstraße 9, 21244 Buchholz, Deutschland https://www.decobusgroup.de



Produkt: Steckdose + USB + TYPE-C
Modell: YL-SKCE-902A
Nennspannung: 250V 10A
Nennfrequenz: USB-A 5V 2.1A TYPE-C 5V 2.1A
Leistung: 2500W



Points de collecte sur www.quefairedemesdechets.fr
Privilégiez la réparation ou le don de votre appareil !