


Montageanleitung | Instructions de montage Assembly Instructions | Instrucciones de montaje

SKU NUMBER:N623P336260

N623P336261

N623P336262



GB This set comes in 3 boxes. If you do not receive a full set of 3 boxes, please contact our customer service.

DE Dieses Set wird in 3 Schachteln geliefert. Wenn Sie nicht ein komplettes Set von 3 Boxen erhalten, kontaktieren Sie bitte unseren Kundenservice.

FR Ce set est livré en 3 boîtes. Si vous ne recevez pas un jeu complet de 3 boîtes, veuillez contacter notre service clientèle.

English

IMPORTANT FOR GAS LIFT BEDS&MAINTAINCE

- Please place the mattress on top of the bed frame.
- Please do not pull on the strap handles.
- Please press heavily to release the compressed gas.
- Periodically check all screw & fixings to ensure they are secure.
- When moving your product, carefully lift into place.
- Wipe clean with a slightly damp cloth- please do not use abrasive chemicals or bleach.
- Do NOT allow children to operate the lift mechanism.
- Do NOT allow children near the lift base when operating the mechanism.
- Do NOT stand inside the bed or the internal storage base.
- Do NOT overload the internal storage base.
- DO NOT jump on the product or any of its parts.

Deutsch

WICHTIG FÜR GASLIFT-BETTEN&WARTUNG

- Bitte legen Sie die Matratze oben auf den Bettrahmen.
- Bitte ziehen Sie nicht an den Gurtgriffen.
- Bitte drücken Sie kräftig, um das komprimierte Gas freizusetzen.
- Überprüfen Sie regelmäßig alle Schrauben und Befestigungen, um sicherzustellen, dass sie sicher sind.
- Wenn Sie Ihr Produkt bewegen, heben Sie es vorsichtig an seinen Platz.
- Mit einem leicht feuchten Tuch abwischen - bitte keine scheuernden Chemikalien oder Bleichmittel verwenden.
- Erlauben Sie Kindern NICHT, den Hebemechanismus zu bedienen.
- Lassen Sie Kinder NICHT in die Nähe des Liftsockels, wenn Sie den Mechanismus bedienen.
- Stellen Sie sich NICHT in das Bett oder in die Innenablage.
- Überlasten Sie den internen Liftsockel NICHT.
- Springen Sie NICHT auf das Produkt oder eines seiner Teile.

Français

IMPORTANT POUR LES LITS À RELEVAGE DE GAZ&MAINTENANCE

- Veuillez placer le matelas sur le dessus du cadre de lit.
- Ne tirez pas sur les poignées de la sangle.
- Appuyez fortement pour libérer le gaz comprimé.
- Vérifiez régulièrement que toutes les vis et fixations sont bien en place.
- Lorsque vous déplacez votre produit, soulevez-le avec précaution pour le mettre en place.
- Nettoyez avec un chiffon légèrement humide - n'utilisez pas de produits chimiques abrasifs ou d'eau de Javel.
- Ne laissez pas les enfants utiliser le mécanisme de levage.
- Ne laissez pas les enfants s'approcher de la base de levage lorsqu'ils actionnent le mécanisme.
- Ne vous tenez PAS à l'intérieur du lit ou de la base de stockage interne.
- Ne surchargez pas la base de stockage interne.
- Ne pas sauter sur le produit ou l'une de ses parties.

Italiano


IMPORTANTE PER I LETTI CON SOLLEVAMENTO A GAS E LA MANUTENZIONE

- Posizionare il materasso sopra la struttura del letto.
- Non tirare le maniglie della cinghia.
- Premere con forza per rilasciare il gas compresso.
- Controllare periodicamente tutte le viti e i fissaggi per assicurarsi che siano saldi.
- Quando si sposta il prodotto, sollevarlo con cautela.
- Pulire con un panno leggermente umido, senza usare prodotti chimici abrasivi o candeggina.
- NON permettere ai bambini di azionare il meccanismo di sollevamento.
- NON permettere ai bambini di avvicinarsi alla base di sollevamento quando si aziona il meccanismo.
- NON sostare all'interno del letto o della base di contenimento interna.
- NON sovraccaricare la base di contenimento interna.
- NON saltare sul prodotto o sulle sue parti.


Español

IMPORTANTE PARA LAS CAMAS ELEVADORAS DE GAS&MANTENIMIENTO


- Coloque el colchón sobre el somier.
- No tire de las asas de la correa.
- Presione con fuerza para liberar el gas comprimido.
- Compruebe periódicamente que todos los tornillos y fijaciones estén bien sujetos.
- Al mover el producto, levántelo con cuidado para colocarlo en su sitio.
- Limpie con un paño ligeramente humedecido; no utilice productos químicos abrasivos ni lejía.
- NO permita que los niños accionen el mecanismo de elevación.
- NO permita que los niños se acerquen a la base elevadora cuando accionen el mecanismo.
- NO se ponga de pie dentro de la cama o de la base de almacenamiento interna.
- NO sobrecargue el somier.
- NO salte sobre el producto ni sobre ninguna de sus piezas.




N623P336260




A1*1PC



B1*1PC




B2*1PC



X*1PC


N623P336261




E*1PC




F1*1PC




F2*1PC




I*2PCS




J5*1PC




J6*1PC




K1*1PC




K2*1PC




K3*1PC




L3*1PC




M1*1PC



M2*2PCS



O1*2PCS




O2*2PCS



P1*4PCS



Q1*2PCS



Q2*2PCS




Q3*2PCS




T*4PCS


N623P336262




A2*1PC




A3*1PC




C1*1PC




C2*1PC




D1*1PC




D2*1PC




D3*2PCS




G3*12PCS




H1*1PC




H2*1PC




N2*2PCS




P2*2PCS




R*24PCS




S1*1PC




S2*2PCS




S3*1PC



U*3PCS



V*2PCS




W1*2PCS




W2*2PCS


N623P336262




M8*50MM
X1*6PCS




M8*45MM
X2*12PCS




M8*30MM
X3*16PCS




M8*25MM
X4*30PCS




M8*25MM
X5*8PCS




M8*14MM
X6*12PCS




M8*10MM
X7*2PCS




M6*16MM
X8*6PCS




M6*14MM
X9*6PCS




M8
Y1*10PCS



M4*20MM
Y2*12PCS




M3*15MM
Y3*2PCS




φ6x35mm
Y4*12PCS




φ15x10mm
Y5*12PCS




φ5x40mm
Y6*28PCS




M3
Z1*1PC



M4
Z2*1PC




M5
Z3*1PC




M5
Z4*1PC

1


Y4*12



φ6x35mm



2





3

Y5*12



φ15x10mm




4

Y6*20



φ5x40mm






5

Y3*2




M3*15MM




6


X4*4




M8*25mm




7 Y6*8
Φ5x40mm



8 X7*2
M8*10mm




9



10

- | | |
|-----------------|-----------------|
| X3*4
M8*30mm | X4*2
M8*25mm |
|-----------------|-----------------|




11

X8*6



M6*16mm




12

X9*6




M6*14mm



13


X4*4
M8*25mm



14


X4*4
M8*25mm

X5*4
M8*25mm



15

X4*8
M8*25mm



D1

D2

D3

D1

X4

X4

X4

X4

D3

D2

H1

H2


UP

UP

UP

16

X4*8
M8*25mm




X4

X4


P2

17



18


X5*4
M8*25mm



19


X1*6
M8*50mm

X2*2
M8*45mm




20

Y2*12
M4*18mm



21




22

X6*4




M8*14mm



23


NOTE: Please notice the directions of arrows when connecting I and J5.




24

X3*4
M8*30mm



X6*4
M8*14mm




25



26

X3*8	X6*4
	
M8*30mm	M8*14mm





27

X2*6



M8*45mm





28

Y1*6



M8





29

Y1*4



M8





30


X2*4




M8*45mm




31



32





IMPORTANT NOTICE

OTTOMAN OPERATING INSTRUCTIONS

Once your bed frame is completely assembled, the slat unit will not operate correctly unless a mattress is placed on the slat frame. Position the mattress on the slat frame whilst it is in the closed position.

PLEASE NOTE - It takes a lot of force to make the initial movement of the ottoman. This is a design feature of the product so that it does not fall shut - the nearer to being closed the ottoman is, the easier it is to move. When the ottoman is almost shut, it will close completely under its own weight.

When lowering the slat unit for the first time, take care to make sure it does not rub unevenly on the inside face of the side rails. If it does, the bed has been assembled slightly out of square. This can be rectified by moving the foot end of the bed slightly to the left or right whilst leaving the head end stationary.



PISTONS

The pistons used in the construction of this product are extremely strong and cannot be operated by hand when taken off the ottoman. All pistons are tested for correct pressure and operation before being attached to the slat unit.

Initially it might appear that the pistons are very stiff when opening and closing the ottoman.

THIS IS PERFECTLY NORMAL

When fully assembled and the mattress is in position, please raise and lower the ottoman 4/5 times to ensure the gas piston are fully lubricated.



LotusLantern APP Manual

1. Software Overview

1.1 Overview

LotusLantern is a mobile APP to control LED strip by both IOS and Android phones.

The traditional control ways like infrared, 433MHz, 2.4GHz and others old wired ways will be replaced by mobile phone control way with convenient, powerful and scalable features.

Through this mobile APP , you can not only control the color, brightness and color temperature of the LED strips but also set up all kinds of fancy flash mode ; Also this APP can change the light of the LED strip according to the rhythm of the music. This APP can set and control several LED strips through Bluetooth and the operation is very simple, easy to learn and easy to use.

1.2 Features

- Adjust color LED strips with 60,000 colors to change color and brightness and adjust monochrome LED strips to change brightness and color temperature
- Play music or turn on a sound playback device, you can let the light change the color and brightness with the rhythm of music, the music rhythm beautiful
- Inside multiple setting mode for color change and control LED strips without mobile
- Long distance control with omni-directional antenna, and many-to-many group control mode
- Once the connection is successful, connect automatically next time

1.3 Performance

LotusLantern APP is easy for use as well as great compatible with all kinds of smart phones; After the actual test of hundreds of mobile phones verification, the compatibility is above 95% of mobile phones in the market. APP is small and convenient, it consumes less system resources, so the requirements of the mobile configuration are low. Control delay is small, the operation feels good, light control is smooth with people's visual sense.

2. Operating Environment

This APP program requires phones of system above Andriod 4.3 and iOS 8.0. Mobile phone configuration is not limited.

3. Instructions

Note: Android version and iOS version download and use the same method, here in the Android version as an example.

3.1 APP Download

Scan the QR code

iOS and Android systems can download the "LotusLantern" APP by scanning the QR code. Open the browser or other tools with "Scan QR code" function, scan the "LotusLantern" QR code as below:



Manuel de l'application LotusLantern

Aperçu du logiciel

1.1 Présentation

LotusLantern est une application mobile permettant de contrôler des bandes LED via des smartphones iOS et Android.

Les méthodes de contrôle traditionnelles (infrarouge, 433 MHz, 2,4 GHz et autres systèmes filaires) sont remplacées par un contrôle via smartphone, offrant des fonctionnalités pratiques, puissantes et évolutives.

Grâce à cette application, vous pouvez :

Contrôler la couleur, la luminosité et la température de couleur des bandes LED.

Configurer différents modes de clignotement dynamiques.

Synchroniser l'éclairage avec le rythme de la musique.

Contrôler plusieurs bandes LED via Bluetooth de manière simple et intuitive.

1.2 Fonctionnalités

Réglage des bandes LED RVB (60 000 couleurs) et monochromes (luminosité et température de couleur).

Mode musical : les lumières changent en rythme avec la musique.

Plusieurs modes prédéfinis pour un contrôle sans smartphone.

Contrôle longue portée avec antenne omnidirectionnelle et mode de contrôle groupe.

Reconnexion automatique après la première configuration.

1.3 Performances

Compatible avec 95 % des smartphones (testé sur des centaines d'appareils).

Application légère, peu gourmande en ressources système.

Délai de contrôle minimal, réactivité optimale.

Environnement d'utilisation

Nécessite Android 4.3+ ou iOS 8.0+.

Configuration smartphone non restrictive.

Mode d'emploi

3.1 Téléchargement de l'application

Scannez le QR code ci-dessous via un navigateur ou un outil de scan pour télécharger "LotusLantern" (iOS/Android).



German (Deutsch)

LotusLantern APP-Handbuch

Software-Überblick

1.1 Beschreibung

LotusLantern ist eine Mobile App zur Steuerung von LED-Streifen für iOS und Android.

Traditionelle Steuerungsmethoden (Infrarot, 433 MHz, 2,4 GHz, etc.) werden durch die benutzerfreundliche und leistungsstarke Smartphone-Steuerung ersetzt.

Funktionen:

Farb-, Helligkeits- und Farbtemperatursteuerung.

Dynamische Lichteffekte im Musikrhythmus.

Einfache Bluetooth-Steuerung mehrerer LED-Streifen.

1.2 Merkmale

60.000 Farben für RGB-LEDs, Helligkeit/Temperatur für Weißlicht.

Musikmodus: Licht synchron zur Musik.

Voreingestellte Modi für Smartphone-unabhängige Steuerung.

Reichweitenstarke Steuerung mit Gruppenfunktion.

Automatische Wiederverbindung.

1.3 Leistung

Hohe Kompatibilität (>95 % der Smartphones).

Geringe Systemanforderungen.

Schnelle Reaktionszeit.

Systemvoraussetzungen

Android 4.3+ oder iOS 8.0+.

Anleitung

3.1 App-Download

Scannen Sie den QR-Code mit Ihrem Smartphone.



Manual de la APP LotusLantern

Resumen del software

1.1 Descripción

LotusLantern es una aplicación para controlar tiras LED desde iOS y Android.

Sustituye métodos tradicionales (infrarrojos, 433 MHz, etc.) con un control móvil más práctico y escalable.

Funciones clave:

Control de color, brillo y temperatura de color.

Modos de luz al ritmo de la música.

Control múltiple vía Bluetooth.

1.2 Características

60.000 colores para LEDs RGB.

Modo musical interactivo.

Antena omnidireccional para control remoto.

Reconexión automática.

1.3 Rendimiento

Compatibilidad del 95 % con smartphones.

Bajo consumo de recursos.

Requisitos

Android 4.3+ o iOS 8.0+.

Instrucciones

3.1 Descarga

Escanee el código QR proporcionado.



Portuguese (Português)

Manual do Aplicativo LotusLantern

Visão geral

1.1 Introdução

O LotusLantern é um app para controle de fitas LED via celular (iOS/Android).

Substitui controles tradicionais por uma solução móvel versátil.

1.2 Recursos

60.000 cores personalizáveis.

Sincronização com música.

Controle grupal sem fio.

1.3 Desempenho

Leve e compatível com 95% dos dispositivos.

Requisitos

Android 4.3+ ou iOS 8.0+.


Download

Leia o QR code para instalar.




3.2 App Operation

(1) Click on the LotusLantern APP icon, enter the APP page:



(2) After entering the APP interface, if Bluetooth is not enabled, "an application wants to enable the Bluetooth function of this device." Click [Allow]



(3) switch to color and brightness interface:

Click to show the lamp list

Switch the color wheel

Display the RGB value
Click to manual adjustment view

Click to display setting view

Lamp switch button

Adjust the color


Click square icon to adjust the color

Click to shift the interface


(4) click to show the lamp list, view lamp list:

Bluetooth auto connect
after search for devices

Lamp list




Status of device connection




Status of device connection


(5) Click to RGB manual adjustment view:




(6) switch to the mode interface:



(7) switch to the music rhythm interface:




(8) Switch to the online music interface:




(9) Switch to the microphone rhythm interface:

Music rhythm through cell phone microphone



Switch phone microphone and external microphone

Music rhythm through the microphone on the product




Switch phone microphone and external microphone


4-style rhythm

Change the sensitivity of MIC to match the sound

(10) Switch to the schedule interface:



(11) Switch to the modify pin sequence interface:



Technical parameters:

Working temperature: -20-60°C (-4 F°-140 F°)

Power supply voltage: DC5-24V

Output: 3 Loops

Static power consumption: <0. 5W

Output current: <3A(each circuit)5V <30W 12V<108 24V<21 6W



Reference No. : WTN22D07148186Z
Applicant : Guangdong Zhangong Electric Technology Co., Ltd.
Address : Room 701, Building 29, Shunde Zhifu Park, No.8, 2nd Ring Road, Gaozan village committee, Xingt an town, Shunde District, Foshan City, Guangdong Province
Manufacturer : The same as above
Address : The same as above
Product : Power Strip
Model No. : See model list
Technical data : Input:250V~, 50/60Hz, 16A USB Output:DC 5V,2.0A

Test Standards:

DIN VDE 0620-1(VDE 0620-1) : 2019

The above product has been tested by us with the listed standards and found in compliance with the European Directive LVD 2014/35/EU. It is possible to use CE marking to demonstrate the compliance with this LVD Directive.

Plugs and socket-outlets for household and similar purposes Part 1: General requirements

The referred test report(s) show that the product complies with standard(s) recognized as giving presumption of compliance with the essential requirements in the above mentioned EU Directive. Other relevant Directives have to be observed.

After preparation of the necessary technical documentation as well as the EU Declaration of Conformity, the CE marking as shown below can be affixed on the equipment under the sole responsibility of the manufacturer.



Manager: Deval Qin
Date: 2022-8-25

The statement is based on a single evaluation of the sample of above mentioned product. It does not imply an assessment of the whole production.

Waltek Testing Group Co., Ltd.

Hotline: 400-840-2288

E-mail: info@waltek.com.cn

Http://www.waltek.com.cn

Ver.02. 29.07.2022, WALTEK is registered trademark. Utilisation and application requires prior approval.

Attachment

Model list



Reference No.: WTN22D07148186Z

Model list

Product name	Model Name	Description
Power Strip	G-PDUM0/12A/15A	250V~ 16A, IP20, Class I, with multi-ways DIN49440-1 socket-outlets with shutter, with USB output, with a non-rewirable plug with cord H05VV-F 3G1,5mm2.
	ZG-PDUG1/10A/16A	
	ZG-PDUG2/10A/16A	
	ZG-PDUG3/10A/16A	
	ZG-PDUG4/10A/16A	
	ZG-PDUF/10A/16A	
	ZG-PDUW1/10A/16A	
	ZG-PDUW2/10A/16A	
	ZG-PDUB/10A/16A	
	ZG-PDUC3/10A/15A	
	ZG-PDUC9/10A/15A	
	ZG-PDUA/10A/15A	
	ZG-PDUY/10A/15A	
	ZG-JJ/12A/15A	
	ZG-HG/12A/15A	
	ZG-ZJ/12A/15A	
	ZG-SJ/12A/15A	
ZG-DQ/12A/15A		
ZG-PC/12A/15A		
ZG-PDU J00/10A/16A		

====End of Attachment====

Waltek Testing Group Co., Ltd.

Hotline:400-840-2288

E-mail:info@waltek.com.cn

Http://www.waltek.com.cn

Ver.02. 29.07.2022, WALTEK is registered trademark. Utilisation and application requires prior approval.

Shenzhen ZKT Technology Co., Ltd.
1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue,
Fuhai Street, Bao'an District, Shenzhen, China



Certificate of Compliance

Certificate Number: ZKT-2403202772C

Certificate's Holder : Shenzhen Pinchengxin Technology Co., Ltd
3rd Floor, 8th Building Yuanling Industrial Zone, No. 39
Yuanlingcun Road, Shiyan Street, Bao'an District,
Shenzhen

Manufacturer : Shenzhen Pinchengxin Technology Co., Ltd
3rd Floor, 8th Building Yuanling Industrial Zone, No. 39
Yuanlingcun Road, Shiyan Street, Bao'an District,
Shenzhen

Trade Mark : N/A

Product : 5050 RGB LED Strip Lights with Bluetooth App Controller
and 2.4G Remote

Model(s) : 5050 RGB LED Strip Lights


Test Standard : Art.3.1(a) Safety EN IEC 62368-1:2020+A11:2020

Art.3.1(a) Health EN IEC 62311:2020
EN 50665:2017

Art.3.1(b) EMC ETSI EN 301 489-1 V2.2.3 (2019-11)
ETSI EN 301 489-17 V3.2.4 (2020-09)

Art.3.2 Radio ETSI EN 300 328 V2.2.2 (2019-07)

This Attestation of Compliance is issued on a voluntary basis for electrical equipment below the voltage limits of Radio Equipment Directive (RED) 2014/53/EU. The essential requirements are fulfilled accordingly based on the technical specifications applicable at the time of issuance.



This Certificate of Conformity is based on single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole product and relevant Directives to be observed.



FR

**Cet appareil,
ses cordons,
et batterie
se recyclent**

**À DÉPOSER
EN MAGASIN**



OU

**À DÉPOSER
EN DÉCHÈTERIE**



**Points de collecte sur www.quefairedemesdechets.fr
Privilégiez la réparation ou le don de votre appareil !**