


Installationsanleitung Installation Instruction Instruction d'installation

N636P283693/N636P283694/N636P283695



DE DE: Unser Produkt wird Ihnen in (3) Paketen geliefert. Die Lieferzeiten dieser (3) Pakete können abweichen, bitte haben Sie etwas Geduld und vielen Dank für Ihr Verständnis.

UK UK: Our product will be delivered to you in (3) packages. The delivery times of these (3) packages may differ, please be patient and thank you for your understanding.

FR FR: Notre produit vous sera livré en (3) colis. Les délais de livraison de ces (3) colis peuvent différer, soyez patient et merci pour votre compréhension.

DE Vor der Montage die Schrauben in die Löcher stecken und festziehen, aber nicht bis 100%. 70% bis 80% ist ausreichend. Schließlich, nachdem alle Schrauben installiert sind, ziehen Sie sie auf 100%.

Wenn Sie auf diese Probleme stoßen, wie z. B. Fehlausrichtung der Löcher oder Unfähigkeit, bestimmte Teile zu installieren, überprüfen Sie bitte, ob die Schrauben korrekt verwendet werden und passen Sie die Dichtigkeit der Schrauben an.

UK Before installation, insert the screws into the holes and tighten them, but do not tighten them to 100%. 70% to 80% is sufficient. Finally, after all screws are installed, tighten them to 100%.

If you encounter these issues, such as misalignment of holes or inability to install certain parts, please check if the screws are used correctly and adjust the tightness of the screws.

FR insérez la vis dans le trou avant la fin de l'assemblage, serrez la vis, mais ne la serrez pas à 100%, 70% ~ 80% est correct. Enfin, après que toutes les vis soient bien serrées, serrez toutes les vis à 100%.

Si vous rencontrez ces problèmes, par exemple si les trous ne sont pas alignés ou si certaines pièces ne peuvent pas être montées, vérifiez que les vis sont utilisées correctement et Ajustez leur serrage.

English

IMPORTANT FOR GAS LIFT BEDS&MAINTAINCE

- Please place the mattress on top of the bed frame.
- Please do not pull on the strap handles.
- Please press heavily to release the compressed gas.
- Periodically check all screw & fixings to ensure they are secure.
- When moving your product, carefully lift into place.
- Wipe clean with a slightly damp cloth- please do not use abrasive chemicals or bleach.
- Do NOT allow children to operate the lift mechanism.
- Do NOT allow children near the lift base when operating the mechanism.
- Do NOT stand inside the bed or the internal storage base.
- Do NOT overload the internal storage base.
- DO NOT jump on the product or any of its parts.

Deutsch

WICHTIG FÜR GASLIFT-BETTEN&WARTUNG

- Bitte legen Sie die Matratze oben auf den Bettrahmen.
- Bitte ziehen Sie nicht an den Gurtgriffen.
- Bitte drücken Sie kräftig, um das komprimierte Gas freizusetzen.
- Überprüfen Sie regelmäßig alle Schrauben und Befestigungen, um sicherzustellen, dass sie sicher sind.
- Wenn Sie Ihr Produkt bewegen, heben Sie es vorsichtig an seinen Platz.
- Mit einem leicht feuchten Tuch abwischen - bitte keine scheuernden Chemikalien oder Bleichmittel verwenden.
- Erlauben Sie Kindern NICHT, den Hebemechanismus zu bedienen.
- Lassen Sie Kinder NICHT in die Nähe des Liftsockels, wenn Sie den Mechanismus bedienen.
- Stellen Sie sich NICHT in das Bett oder in die Innenablage.
- Überlasten Sie den internen Liftsockel NICHT.
- Springen Sie NICHT auf das Produkt oder eines seiner Teile.

Français

IMPORTANT POUR LES LITS À RELEVAGE DE GAZ&MAINTENANCE

- Veuillez placer le matelas sur le dessus du cadre de lit.
- Ne tirez pas sur les poignées de la sangle.
- Appuyez fortement pour libérer le gaz comprimé.
- Vérifiez régulièrement que toutes les vis et fixations sont bien en place.
- Lorsque vous déplacez votre produit, soulevez-le avec précaution pour le mettre en place.
- Nettoyez avec un chiffon légèrement humide - n'utilisez pas de produits chimiques abrasifs ou d'eau de Javel.
- Ne laissez pas les enfants utiliser le mécanisme de levage.
- Ne laissez pas les enfants s'approcher de la base de levage lorsqu'ils actionnent le mécanisme.
- Ne vous tenez PAS à l'intérieur du lit ou de la base de stockage interne.
- Ne surchargez pas la base de stockage interne.
- Ne pas sauter sur le produit ou l'une de ses parties.

Italiano

IMPORTANTE PER I LETTI CON SOLLEVAMENTO A GAS E LA MANUTENZIONE


- Posizionare il materasso sopra la struttura del letto.
- Non tirare le maniglie della cinghia.
- Premere con forza per rilasciare il gas compresso.
- Controllare periodicamente tutte le viti e i fissaggi per assicurarsi che siano saldi.
- Quando si sposta il prodotto, sollevarlo con cautela.
- Pulire con un panno leggermente umido, senza usare prodotti chimici abrasivi o candeggina.
- NON permettere ai bambini di azionare il meccanismo di sollevamento.
- NON permettere ai bambini di avvicinarsi alla base di sollevamento quando si aziona il meccanismo.
- NON sostare all'interno del letto o della base di contenimento interna.
- NON sovraccaricare la base di contenimento interna.
- NON saltare sul prodotto o sulle sue parti.

Español













IMPORTANTE PARA LAS CAMAS ELEVADORAS DE GAS&MANTENIMIENTO

- Coloque el colchón sobre el somier.
- No tire de las asas de la correa.
- Presione con fuerza para liberar el gas comprimido.
- Compruebe periódicamente que todos los tornillos y fijaciones estén bien sujetos.
- Al mover el producto, levántelo con cuidado para colocarlo en su sitio.
- Limpie con un paño ligeramente humedecido; no utilice productos químicos abrasivos ni lejía.
- NO permita que los niños accionen el mecanismo de elevación.
- NO permita que los niños se acerquen a la base elevadora cuando accionen el mecanismo.
- NO se ponga de pie dentro de la cama o de la base de almacenamiento interna.
- NO sobrecargue el somier.
- NO salte sobre el producto ni sobre ninguna de sus piezas.



















N636P283693

1		X1	17		X1
2		X1	18		X1
3		X1	19		X1
14		X1	20		X1
15		X2	21		X1
16		X12	22		X1








N636P283693

23		X4			
A6		X1			










N636P283694

4		X1	35		X1
13		X1	36		X1
31		X1	37		X1
32		X1	38		X1
33		X1	39		X1
34		X1	40		X1












N636P283694

41		X1	47		X1
42		X1			
43		X1			
44		X1			
45		X1			
46		X1			








N636P283695

5		X1	11		X1
6		X1	12		X1
7		X1	24		X2
8		X1	25		X4
9		X1	26		X2
10		X1	27		X1

N636P283695





28		X2	51		X4
29		X1	52		X2
30		X1	53		X2
48		X2	56		X2
49		X4	57		X1
50	 400mm 9mm 750N	X2	58		X1

N636P283695

59		X1	A7	 Silent sticker	X5
60		X1	A8	 Strap magic tape	X10
A1	 Power cord	X1	L		X1
A3	 Long light strip	X1	R		X1
A4	 Short light strip	X1			
A5		X1			




Hardware List-Hardware-Liste-Liste du matériel

N636P283695

A	 M8*12	X8+1	G	 M8*50	X8+1	N	 M3*16	X4+1
B	 M8*15	X36+1	H	 M8*55	X2+1	O	 M5*35	X39+4
C	 M8*20	X50+2	J	 M6*12	X2+1	P	 M8*12	X8+1
D	 M8*30	X4+1	K	 M6*15	X2+1	Q	 M8*ø22	X8+1
E	 M8*35	X10+1	L	 M6*34	X6+1	R	 M8*ø22	X10+1
F	 M8*45	X2+1	M	 M3*12	X6+1	S	 M8*12	X4+1






Hardware List-Hardware-Liste-Liste du matériel

N636P283695

T		X2	Z		X1			
U		X2	54	 M8	X12+1			
V	 M5	X1	55		X4			
W	 M6	X1	B1	 M6*20	X4			
X	 M8	X1	B2		X2			
Y		X1						

Hardware List-Hardware-Liste-Liste du matériel

N636P283695

A	 M8*12	X8+1	B	 M8*15	X36+1	C	 M8*20	X50+2
D	 M8*30	X4+1	E	 M8*35	X10+1	F	 M8*45	X2+1
G	 M8*50	X8+1	H	 M8*55	X2+1			

Bitte beachten Sie, dass die Formen der Schrauben A und B und C und D und E und F und G und H ähnlich sind. Bitte installieren Sie entsprechend der Anleitung und unterscheiden Sie sie!

Please note that the shapes of screws A and B and C and D and E and F and G and H are similar. Please install according to the instructions and distinguish them!

Notez que les vis a et B, C et d, e et F, G et H ont des formes similaires. Suivez les instructions pour les installer et les différencier!

Hardware List-Hardware-Liste-Liste du matériel

N636P283695

J		X2+1	K		X2+1	L		X6+1	B1		X4
	M6*12			M6*15			M6*34			M6*20	

Bitte beachten Sie, dass die Formen der Schrauben J und K und L und B1 ähnlich sind. Bitte installieren Sie entsprechend der Anleitung und unterscheiden Sie sie!

Please note that the shapes of screws J and K and L and B1 are similar. Please install according to the instructions and distinguish them!

Notez que les vis J et K et L et B1 ont des formes similaires. Suivez les instructions pour les installer et les différencier!


M		X6+1	N		X4+1
	M3*12			M3*16	

Bitte beachten Sie, dass die Formen der Schrauben M und N ähnlich sind. Bitte installieren Sie entsprechend der Anleitung und unterscheiden Sie sie!


Please note that the shapes of screws M and N are similar. Please install according to the instructions and distinguish them!

Notez que les vis m et n sont de forme similaire. Suivez les instructions pour les installer et les différencier!

1






PX4pcs



2




QX4pcs



3




M3*16
NX4pcs




UX2pcs




M3*12



4




M5*35
OX4pcs




5





M5*35
OX5pcs



6




PX4pcs



7






M5*35
OX4pcs




8




QX4pcs




9




M5*35
OX8pcs




10




M5*35
OX2pcs




11



12



13




14



M3*12
MX4pcs




SX4pcs




TX2pcs




M3*16



15



16






17




M3*12
MX2pcs





M3*16



18




M5*35
OX16pcs





19




Short light bar
A4X1pc




A4 light strip
1PC




light strip




20




M6*34
LX2pcs




M6*20



M6*15



21




M8*20
CX6pcs



M8*15



M8*12



22




M8*20
CX6pcs



M8*15



M8*12



23




M8*20
CX4pcs




M8*15



M8*12



24




M6*20
B1X4pcs




M6*12



M6*15




25



26



M8*20
CX2pcs



M8*30
DX4pcs





M8*35



M8*15



M8*12




27




M6*12
JX2pcs



M6*15
KX2pcs



M6*34



28






M8*20
CX4pcs



M8*15



M8*12



29



M8*15
BX4pcs




M8*20





M8*12


Lock first




Lock first




1



30



31



NO.1 Open accessory(58)

NO.2 Place them separately on
the front and back of the (3)
hole and press them tightly

32




M8*35
EX2pcs



M8*45



M8*30



33




M8*20
CX4pcs



M8*15



M8*12




34

M8*15
BX16pcs

M8*20

M8*12



35



M8*15
BX8pcs



M8*20




M8*12




R

L


36




M6*34
LX4pcs



M6*20




M6*15





37




Long light bar
A3X1pc



A3 light strip
1PC




light strip



A3 Long light bar

- *Stick the light strip in the groove
- *Den Lichtstreifen in die Nut stecken
- *Coller la bande lumineuse dans la rainure
- *Pegar la tira de la luz en la ranura
- *Inserire la striscia luminosa nella scanalatura

38





M8*20
CX8pcs




M8*15



M8*12



39



40




M8*20
CX4pcs



M8*15



M8*12



41



M8*15
BX8pcs



M8*45
FX2pcs








M8*50




M8*20



M8*12



42



43






M8*12
AX8pcs




M8*20



M8*15



44




M8*20
CX2pcs



M8*15



M8*12



45



M8*50
GX2pcs




M8
54X2pcs



M8*55



M8*45




46

M8*50
GX6pcs


M8
54X6pcs

~~M8*55~~

~~M8*45~~




47





Strap magic tape

A8 10PCS



Strap magic tape

When the wires are disordered, tear off the anti stick paper, paste it on the place where the wires pass, and then bind the wires.



48


M8*35
EX8pcs

M8* ϕ 22
RX8pcs

~~M8*45~~

~~M8*30~~

X2



49




M8*20
CX8pcs



M8*15



M8*12



50



M8*20
CX2pcs



M8*55
HX2pcs



M8*φ22
RX2pcs





M8*50





M8*15



M8*12



51







16 12PCS


52




M8
54X4pcs




53





Power cord


A1 1PC





Importeur	Decobus Handel GmbH
Adresse	Innungsstraße 9, 21244 Buchholz, Deutschland
Email/URL	https://www.decobusgroup.de
Hersteller	Dongguan Yihong Hardware Electronics Co., Ltd
Adresse	Room 1106.No.2, Shangheng Road, Chang an Town
Email/URL	414564409@qq.com
Partienumm	202507
Hergestellt in	China
Produkt: LED Controller Modell: YH-358 Nennspannung: 5 V Nennfrequenz: 50/60 Hz Leistung: 15 W	
	Decobus Handel GmbH Innungsstraße 9, 21244 Buchholz, Deutschland https://www.decobusgroup.de



Importeur	Decobus Handel GmbH
Adresse	Innungsstraße 9, 21244 Buchholz, Deutschland
Email/URL	https://www.decobusgroup.de
Hersteller	Foshan Xinwang Intelligent Technology Co., Ltd.
Adresse	The fifth floor of Building 3, Haitian Lanyu Science and Technology Industrial Park, No. 5, Industrial 2nd Road, Shilongzi Community, Shiyan Street, Bao'an District, Shenzhen
Email/URL	610488898@qq.com
Partienumm	202507
Hergestellt in	China
Produkt: LED soft light strip Model: HZY-5050RGB-30D-5V / HZY-5050RGB-60D-5V Nennspannung: 5 V Nennfrequenz: 50/60 Hz Leistung: 4.5 W/M	
	Decobus Handel GmbH Innungsstraße 9, 21244 Buchholz, Deutschland https://www.decobusgroup.de



Importeur	Decobus Handel GmbH
Adresse	Innungsstraße 9,21244 Buchholz,Deutschland
Email/URL	https://www.decobusgroup.de
Hersteller	Guangdong Zhangong Electrical Technology Co., LTD
Adresse	701, Building 29, Zhifu Garden, Xingtan Town, Shunde District, Foshan City
Email/URL	610488898@qq.com
Partienumm	202507
Hergestellt in	China
Produkt: MOUNTABLE USB Hub/USB CHARGER Model:ZG-USB-12	
Input : 100-240V 50/60HZ	
	Decobus Handel GmbH Innungsstraße 9,21244 Buchholz,Deutschland https://www.decobusgroup.de



Importeur	Decobus Handel GmbH
Adresse	Innungsstraße 9,21244 Buchholz,Deutschland
Email/URL	https://www.decobusgroup.de
Hersteller	Shenzhen Pinchengxin Technology Co.,Ltd
Adresse	3rd floor, 8 building Yuanling industrial zon, No. 39Yuanlingcun road,Shiyan street, Bao'an district, Shenzhen
Email/URL	fosm11@foxmail.com
Partienumm	2025.10
Hergestellt in	China
Produkt:LED soft light strip Model: PCX-5050RGB-30D-5V/PCX-5050RGB-60D-5V/	
Nennspannung:5 V Nennfrequenz: 50/60HzLeistung: 4.5W/M	
EC REP	

130.00 mm

255.00 mm

LotusLantern APP Manual

1. Software Overview

1.1 Overview

LotusLantern is a mobile APP to control LED strip by both IOS and Android phones. The traditional control ways like infrared, 433MHz, 2.4GHz and others old wired ways will be replaced by mobile phone control way with convenient, powerful and scalable features. Through this mobile APP , you can not only control the color, brightness and color temperature of the LED strips but also set up all kinds of fancy flash mode ; Also this APP can change the light of the LED strip according to the rhythm of the music. This APP can set and control several LED strips through Bluetooth and the operation is very simple, easy to learn and easy to use.

1.2 Features

- Adjust color LED strips with 60,000 colors to change color and brightness and adjust monochrome LED strips to change brightness and color temperature
- Play music or turn on a sound playback device, you can let the light change the color and brightness with the rhythm of music, the music rhythm beautiful
- Inside multiple setting mode for color change and control LED strips without mobile
- Long distance control with omni-directional antenna, and many-to-many group control mode
- Once the connection is successful, connect automatically next time

1.3 Performance

LotusLantern APP is easy for use as well as great compatible with all kinds of smart phones; After the actual test of hundreds of mobile phones verification, the compatibility is above 95% of mobile phones in the market. APP is small and convenient, it consumes less system resources, so the requirements of the mobile configuration are low. Control delay is small, the operation feels good, light control is smooth with people's visual sense.

2. Operating Environment

This APP program requires phones of system above Andriod 4.3 and IOS 8.0. Mobile phone configuration is not limited.

3. Instructions

Note: Android version and IOS version download and use the same method, here in the Android version as an example.

3.1 APP Download

Scan the QR code
iOS and Android systems can download the "LotusLantern" APP by scanning the QR code. Open the browser or other tools with "Scan QR code" function, scan the "LotusLantern" QR code as below:



Function Description:

1. **Short Press:**
 - Cycle through **7 static colors**, **three-color jump mode**, and **music mode**.
2. **Long Press (3 Seconds):**
 - **Turn off the light**.
3. **Short Press After Turning Off:**
 - **Turn the light back on**.

3.2 App Operation

(1) Click on the LotusLantern APP icon, enter the APP page:




(2) After entering the APP interface, if Bluetooth is not enabled, "an application wants to enable the Bluetooth function of this device." Click [Allow]



(3) switch to color and brightness interface:




(4) click to show the lamp list, view lamp list:




(5) Click to RGB manual adjustment view:




(6) switch to the mode interface:




(7) switch to the music rhythm interface:



(8) Switch to the online music interface:




(9) Switch to the microphone rhythm interface:



(10) Switch to the schedule interface:



(11) Switch to the modify pin sequence interface:



Verification of Compliance

Verification No.: MK23020083-P01C01
 Name and address of Applicant: **Shenzhen Hongzhengyu Technology Co., LTD**
 Shenzhen baoan district rock street industrial science and technology industrial park of 2 Haitian lanyu 3 5 floor of A
 Name and address of Manufacturer: **Shenzhen Hongzhengyu Technology Co., LTD**
 Shenzhen baoan district rock street industrial science and technology industrial park of 2 Haitian lanyu 3 5 floor of A
 Product name: **Lamp strip**
 Product model(s): HZY-2835-120D-12V, HZY-2835-30D-5V, HZY-2835-60D-5V, HZY-2835-120D-5V, HZY-2835-60D-12V, HZY-2835-60D-24V, HZY-2835-120D-24V, HZY-2835RGB-60D-5V, HZY-2835RGB-60D-12V, HZY-5050-30D-5V, HZY-5050-60D-5V, HZY-5050-30D-12V, HZY-5050-60D-12V, HZY-5050-60D-24V, HZY-5050RGB-30D-5V, HZY-5050RGB-60D-5V, HZY-5050RGB-30D-12V, HZY-5050RGB-60D-12V, HZY-5050RGB-60D-24V
 Product trademark: N/A

This verification confirms that the product meets the requirements of the following standard.

The conformity was demonstrated based on following standard(s) listed by European Commission as harmonized with Directive RoHS 2.0 Directive (EU) 2015/863 and (EU)2017/2102 amending Annex II to Directive 2011/65/EU

IEC 62321-1:2013	IEC 62321-3-1:2013
IEC 62321-4:2013/AMD1:2017	IEC 62321-5:2013
IEC 62321-6:2015	IEC 62321-7-1:2015
IEC 62321-7-2:2017	IEC 62321-8:2017

The verification has been carried out in accordance with individual rules and conditions agreed with the applicant. Evaluation has been carried out in accordance with:

Test report(s) No.: MK23020083-P01C01
 Test conducted by: TMC Testing Services (Shenzhen) Co., Ltd.
 Verification issue date: February 25, 2023

Notes:

This verification refers to the above mentioned product and its conformity in regards of above mentioned standard(s) was proven on test sample.

This verification does not imply meeting all essential requirements, assessment of the series-production or any other restricted Notified Bodies conformity assessment procedure appropriate for the product.

This verification holder shall use this verification in connection to verification of conformity and technical data relevant for the product the verification was issued.

TMC Testing Services (Shenzhen) Co., Ltd.

t:86-755-86642861 cert@tmc-lab.com www.tmc-lab.com

1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyuan Street, Baoan District, Shenzhen, China



Verification of Compliance

Verification No.: MK23020083-P01E01
Name and address of Applicant: **Shenzhen Hongzhengyu Technology Co., LTD**
 Shenzhen baoan district rock street industrial science and technology industrial park of 2 Haitian lanyu 3 5 floor of A
Name and address of Manufacturer: **Shenzhen Hongzhengyu Technology Co., LTD**
 Shenzhen baoan district rock street industrial science and technology industrial park of 2 Haitian lanyu 3 5 floor of A
Product name: **Lamp strip**
Rated: 5V --- 1A
 HZY-2835-120D-12V, HZY-2835-30D-5V, HZY-2835-60D-5V, HZY-2835-120D-5V, HZY-2835-60D-12V, HZY-2835-60D-24V, HZY-2835-120D-24V, HZY-2835RGB-60D-5V, HZY-2835RGB-60D-12V, HZY-5050-30D-5V, HZY-5050-60D-5V, HZY-5050-30D-12V, HZY-5050-60D-12V, HZY-5050-60D-24V, HZY-5050RGB-30D-5V, HZY-5050RGB-60D-5V, HZY-5050RGB-30D-12V, HZY-5050RGB-60D-12V, HZY-5050RGB-60D-24V
Product model(s):
Product trademark: N/A

This verification confirms that the product meets the requirements of the following standard.
 The conformity was demonstrated based on following standard(s) listed by European Commission as harmonized with EMC Directive 2014/30/EU.

EN IEC 55015:2019+A11:2020
 IEC 61547:2020

The verification has been carried out in accordance with individual rules and conditions agreed with the applicant. Evaluation has been carried out in accordance with:

Test report(s) No.: MK23020083-P01E01
Test conducted by: TMC Testing Services (Shenzhen) Co., Ltd.
Verification issue date: February 25, 2023

Notes:

This verification refers to the above mentioned product and its conformity in regards of above mentioned standard(s) was proven on test sample.

This verification does not imply meeting all essential requirements, assessment of the series-production or any other restricted Notified Bodies conformity assessment procedure appropriate for the product.

This verification holder shall use this verification in connection to verification of conformity and technical data relevant for the product the verification was issued.

TMC Testing Services (Shenzhen) Co., Ltd.

t:86-755-86642861 cert@tmc-lab.com www.tmc-lab.com

1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyuan Street,
 Baoan District, Shenzhen, China



Verification of Compliance

Verification No.: MK24030235P01-S01

Name and address of Applicant: **Shenzhen Hongzhengyu Technology Co., LTD**
Shenzhen baoan district rock street industrial science and technology industrial park of 2 Haitian lanyu 3 5 floor of A

Name and address of Manufacturer: **Shenzhen Hongzhengyu Technology Co., LTD**
Shenzhen baoan district rock street industrial science and technology industrial park of 2 Haitian lanyu 3 5 floor of A

Product name: **LED Lamp Strip**

Rated: DC5V, 2A, Max.10W

Product model(s): HZY-2835-120D-12V, HZY-2835-30D-5V, HZY-2835-60D-5V, HZY-2835-120D-5V, HZY-2835-60D-12V, HZY-2835-60D-24V, HZY-2835-120D-24V, HZY-2835RGB-60D-5V, HZY-2835RGB-60D-12V, HZY-5050-30D-5V, HZY-5050-60D-5V, HZY-5050-30D-12V, HZY-5050-60D-12V, HZY-5050-60D-24V, HZY-5050RGB-30D-5V, HZY-5050RGB-60D-5V, HZY-5050RGB-30D-12V, HZY-5050RGB-60D-12V, HZY-5050RGB-60D-24V

Product trademark: N/A

This verification confirms that the product meets the requirements of the following standard.
The conformity was demonstrated based on following standard(s) listed by European Commission as harmonized with LVD Directive 2014/35/EU.

EN IEC 60598-2-1:2021;

EN IEC 60598-1:2021+ A11:2022

The verification has been carried out in accordance with individual rules and conditions agreed with the applicant. Evaluation has been carried out in accordance with:

Test report(s) No.: MK24030235P01-S01
Test conducted by: TMC Testing Services (Shenzhen) Co., Ltd.
Verification issue date: April 9, 2024

Notes:

This verification refers to the above mentioned product and its conformity in regards of above mentioned standard(s) was proven on test sample.

This verification does not imply meeting all essential requirements, assessment of the series-production or any other restricted Notified Bodies conformity assessment procedure appropriate for the product.

This verification holder shall use this verification in connection to Verification of Compliance and technical data relevant for the product the verification was issued.

TMC Testing Services (Shenzhen) Co., Ltd.

t:86-755-86642861 cert@tmc-lab.com www.tmc-lab.com

1/F., Block A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shilong Community, Shiyan Street, Baoan District, Shenzhen, China



CERTIFICATE OF COMPLIANCE

No.: AiTSZ-250710061C-C01

Product: 5050 RGB LED Strip Lights with Bluetooth App Controller
Trade Mark: N/A
Model: LED 5050 RGB
Applicant: Shenzhen Pinchengxin Technology Co., Ltd
Address: 3rd floor, 8 building Yuanling industrial zon, No. 39 Yuanlingcun road, Shiyan street, Bao'an district, Shenzhen
Manufacture: Shenzhen Pinchengxin Technology Co., Ltd
Address: 3rd floor, 8 building Yuanling industrial zon, No. 39 Yuanlingcun road, Shiyan street, Bao'an district, Shenzhen

The test sample of product has passed the test according to requirements of the following standards:

Standard(s):		Test report(s) No.:
Article 3.1a)	EN IEC 62368-1:2020+A11:2020	AITSZ-250710061S
	EN 62479: 2010	AITSZ-250710061CW3
	EN 50663: 2017	
Article 3.1b)	ETSI EN 301 489-1 V2.2.3 (2019-11) ETSI EN 301 489-17 V3.2.4 (2020-09)	AITSZ-250710061CW1
Article 3.2)	ETSI EN 300 328 V2.2.2 (2019-07)	AITSZ-250710061CW2

Based on the voluntary assessment of the product sample and technical file, we confirm that the above-mentioned product meets the essential requirements of the Radio Equipment Directive (RED) 2014/53/EU.

The CE mark as show below can be used, under the responsibility of the manufacturer or the importer, after completion of an EC declaration of conformity and follow the CE mark usage rules.



Approved by/Date:

Sean She
Sean She

July 23, 2025



The statement is based on a single evaluation of one sample of above mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab's logo.

Guangdong Asia Hongke Test Technology Limited

B1/F, Building 11, Junfeng Industrial Park, Chongqing Road, Heping Community, Fuhai Street,
Bao'an District, Shenzhen, Guangdong, China

www.aitek.org.cn

E-mail: info@aitek.org.cn



CERTIFICATE OF COMPLIANCE

No.: AITSZ-250725027C-C01

Product: 5050 RGB LED Strip Lights
Trade Mark: N/A
Model: LLED 5050 RGB
Serial Model PCX-LED5050RGB-30D,PCX-LED5050RGB-60D,PCX-LED5050RGB-90D,
PCX-LED5050RGB-120D,PCX-LED5050RGB-18D
Applicant: **Shenzhen Pinchengxin Technology Co., Ltd**
Address: 3rd floor, 8 building Yuanling industrial zon, No. 39 Yuanlingcun road,Shiyan street, Bao'an district, Shenzhen
Manufacture: **Shenzhen Pinchengxin Technology Co., Ltd**
Address: 3rd floor, 8 building Yuanling industrial zon, No. 39 Yuanlingcun road,Shiyan street, Bao'an district, Shenzhen

The test sample of product has passed the test according to requirements of the following standards:

Standard(s):	Test report(s) No.:
EN IEC 55015:2019+A11:2020 EN 61547:2023	AITSZ-250725027CE1

Based on the voluntary assessment of the product sample and technical file, we confirm that the above-mentioned product meets the essential requirements of the Electromagnetic Compatibility (EMC) Directive 2014/30/EU.

The CE mark as show below can be used, under the responsibility of the manufacturer or the importer, after completion of an EC declaration of conformity and follow the CE mark usage rules.



Approved by/Date:

Sean She

Sean She



The statement is based on a single evaluation of one sample of above mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab's logo.



Guangdong Asia Hongke Test Technology Limited

B1/F, Building 11, Junfeng Industrial Park, Chongqing Road, Heping Community, Fuhai Street,
Bao'an District, Shenzhen, Guangdong, China
www.aitek.org.cn
E-mail: info@aitek.org.cn

Certificate of Compliance

Certificate No.: AiTSZ-250725027RC09

The EUT described above has been consolidated by us and found in compliance with the council RoHS 2.0 Directive(EU)2015/863and(EU)2017/2102 amending Annex I to Directive2011/65/EU.

Applicant : Shenzhen Pinchengxin Technology Co., Ltd
Address : 3rd floor, 8 building Yuanling industrial zon, No. 39 Yuanlingcun road,
Shiyan street, Bao'an district, Shenzhen
Manufacturer : Shenzhen Pinchengxin Technology Co., Ltd
Address : 3rd floor, 8 building Yuanling industrial zon, No. 39 Yuanlingcun road,
Shiyan street, Bao'an district, Shenzhen
Product : 5050 RGB LED Strip Lights
Model No. : LED 5050 RGB
Serial number : PCX-LED5050RGB-30D,PCX-LED5050RGB-60D
PCX-LED5050RGB-90D,PCX-LED5050RGB-120D
PCX-LED5050RGB-18D
Trade mark : N/A
Test Report No. : AiTSZ-250725027R

Test Standards:
IEC 62321-3-1: 2013
IEC 62321-4:2013+AMD1:2017 CSV
IEC 62321-5:2013
IEC 62321-6:2015
IEC 62321-7-1:2015
IEC 62321-7-2:2017
IEC 62321-8:2017

RoHS

Lizhen
.....
Lizhen
Date: Aug.08, 2025



The statement is based on a single evaluation of one sample of above mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab logo.



Guangdong Asia Hongke Test Technology Co.,Ltd.

B1/F, Building 11, Junfeng Industrial Park, Chongqing Road, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Tel:+86. 0755-23096763
<https://www.aitek.org.cn>
E-mail:info@aitek.org.cn

EU DECLARATION OF CONFORMITY

1. Product model/product (product, type, batch or serial number):

ZG-USB-12 FURNITURE SOCKET 100-240V/0.6A/ 50Hz/60Hz

2. Name and address of the manufacturer or his authorised representative:

Guangdong Zhangong Electric Technology Co., LTD

**701, Building 29, zhifuyuan Industrial Zone, Xingtan town, Shunde District, Foshan City,
Guangdong Province**

3. This declaration of conformity is issued under the sole responsibility of the manufacturer.

4. Object of the declaration (identification of electrical equipment allowing traceability, it may include a colour image of sufficient clarity where necessary for the identification of the electrical equipment): **ZG-USB-12 FURNITURE SOCKET 100-240V/0.6A/ 50Hz/60Hz**

5. The object of the declaration described above is in conformity with the relevant Union harmonisation legislation: EMC Directive 2014/30/EU. Low Voltage Directive 2014/35/EU. RoHS Directive 2011/65/EU

6. References to the relevant harmonised standards used or references to the other technical specifications in relation to which conformity is declared:

EN 55032:2015 + A11:2020 + A1:2020 , EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019 + A1:2021 , EN 61000-3-3:2013 + A1:2019 + A2:2021

DIN VDE 0620-1(VDE 0620-1):2021-02, DIN VDE 0620-2-1 VDE 0620-2-1:2021-02/A1 VDE 0620-2-1/A1:2023-09, EN IEC 61558-1:2019, EN 61558-2-16:2009+A1:2013 IEC 62321-2:2021, IEC 62321-3-1:2013, IEC 62321-4:2013+AMD1:2017, IEC 62321-5:2013, IEC 62321-7-2: 2017 and IEC 62321-7-1: 2015, IEC 62321-6:2015

7. Additional information: Risk of electric shock. Do not open. For indoor use only.

Signed for and on behalf of:

Guangdong Zhangong Electric Technology Co., LTD

(place and date of issue): 2025.12.2

Guangdong, NOV 30TH, 2025

(name, function) (signature): 陈伟荣



Shenzhen ZKT Technology Co., Ltd.

1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue,
Fuhai Street, Bao'an District, Shenzhen, China



Certificate of Compliance

Certificate Number: ZKT-250327L5652C

Certificate's Holder : Guangdong Zhangong Electric Technology Co., Ltd
701, Building 29, zhifuyuan Industrial Zone, Xingtang town, Shunde District, Foshan City, Guangdong Province

Manufacturer : Guangdong Zhangong Electric Technology Co., Ltd
701, Building 29, zhifuyuan Industrial Zone, Xingtang town, Shunde District, Foshan City, Guangdong Province

Trade Mark : /

Product : Mountable USB Hub/USB CHARGER

Model(s) : ZG-USB-12-B
ZG-USB-12, ZG-USB-12-C

Test Standard : EN 55032:2015 + A11:2020 + A1:2020
EN 55035:2017 + A11:2020
EN IEC 61000-3-2:2019 + A1:2021 + A2:2024
EN 61000-3-3:2013 + A1:2019 + A2:2021

This Attestation of Compliance is issued on a voluntary basis for electrical equipment below the voltage limits of EMC Directive 2014/30/EU. The essential requirements are fulfilled accordingly based on the technical specifications applicable at the time of issuance. It is only valid in connection with the test report number: ZKT-250327L5652E.



This Certificate of Conformity is based on single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole product and relevant Directives to be observed.

Shenzhen ZKT Technology Co., Ltd.

1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue,
Fuhai Street, Bao'an District, Shenzhen, China



Certificate of Compliance

Certificate Number: ZKT-250327L5653C

Certificate's Holder : Guangdong Zhangong Electric Technology Co., Ltd
701, Building 29, zhifuyuan Industrial Zone, Xingtian town,
Shunde District, Foshan City, Guangdong Province

Manufacturer : Guangdong Zhangong Electric Technology Co., Ltd
701, Building 29, zhifuyuan Industrial Zone, Xingtian town,
Shunde District, Foshan City, Guangdong Province

Trade Mark : /

Product : Mountable USB Hub/USB CHARGER

Model(s) : ZG-USB-12-B
ZG-USB-12, ZG-USB-12-C

Test Standard : EN 61558-2-16:2009+A1:2013 used in conjunction with
EN IEC 61558-1:2019

This Attestation of Compliance is issued on a voluntary basis for electrical equipment below the voltage limits of Low Voltage Directive 2014/35/EU. The essential requirement are fulfilled accordingly based on the technical specifications applicable at the time of issuance. See also notes overleaf. It is only valid in connection with the test report number: ZKT-250327L5653S.



This Certificate of Conformity is based on single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole product and relevant Directives to be observed.

CERTIFICATE OF CONFORMITY

No.: PTC25102309602C-EN01V01

Applicant : Dongguan Yihong Hardware electronics Co., LTD
Address : Room 901, No. 2, Shangheng Road, Chang'an Town, Dongguan City, Guangdong Province, 523880 China
Manufacturer : Dongguan Yihong Hardware electronics Co., LTD
Address : Room 901, No. 2, Shangheng Road, Chang'an Town, Dongguan City, Guangdong Province, 523880 China
Product Name : LED Controller
Model No. : YH-289,YH-980 ,YH-918 ,YH-917 ,YH-818,YH-816,YH-6181,YH-358

The submitted sample of the above equipment has been tested and found to comply with the following European Directive:

RoHS Directive 2011/65/EU & EU No.2015/863

The standard(s) used for showing compliance with the essential requirements:

Applicable Standard(s)	Test Report(s) Number
IEC 62321-1:2013, IEC 62321-2:2021 IEC 62321-3-1:2013, IEC 62321-3-2:2020 IEC62321-4: 2013+AMD1:2017 IEC 62321-5:2013 IEC 62321-6:2015, IEC 62321-7-1: 2015 IEC 62321-7-2: 2017, IEC 62321-8:2017	PTC25102309602C-EN01V01

This certificate is part of the full test report(s) and should be read in conjunction with it. This certificate is based on an evaluation of one sample of above mentioned product. It does not imply assessment of the production of the product. Without the written approval of Precise Testing & Certification (Guangdong) Co., Ltd., this certificate is not permitted to be reproduced, except in full. It is not permitted to use the test lab's logo.

RoHS



Jacky Ou
Manager
Date:Dec. 04, 2025



Shenzhen ZKT Technology Co., Ltd.

1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue,
Fuhai Street, Bao'an District, Shenzhen, China



Certificate of Compliance

Certificate Number: ZKT-25070215182C

Certificate's Holder : Dongguan Yihong Hardware Electronics Co., Ltd
Room 1106, No.2, Shangheng Road, Chang' an Town,
Dongguan

Manufacturer : Dongguan Yihong Hardware Electronics Co., Ltd
Room 1106, No.2, Shangheng Road, Chang' an Town,
Dongguan

Trade Mark : N/A

Product : LED controller

Model(s) : YH-6183
YH-252, YH-284, YH-290, YH-287, YH-358, YH-360, YH-6180,
YH-6184

Requirement	Standard	Report No.
Art.3.1(a) Safety	EN IEC 62368-1:2024+A11:2024	ZKT-25070215183S
Art.3.1(a) Health	EN IEC 62311:2020 EN 50665:2017	ZKT-25070215182E-1
Art.3.1(b) EMC	ETSI EN 301 489-1 V2.2.3 (2019-11) ETSI EN 301 489-17 V3.3.0 (2024-07)	ZKT-25070215182E-2
Art.3.2 Radio	ETSI EN 300 328 V2.2.2 (2019-07)	ZKT-25070215182E-3

This Attestation of Compliance is issued on a voluntary basis for electrical equipment below the voltage limits of Radio Equipment Directive (RED) 2014/53/EU. The essential requirement are fulfilled accordingly based on the technical specifications applicable at the time of issuance.



This Certificate of Conformity is based on single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole product and relevant . Directives to be observed.