



GENERATION BRANDS



1. Temporarily install the mounting plate to the wall.
2. Mark the anchor hole locations on the mounting plate and remove the mounting plate.
3. Drill appropriate size holes at the marked locations and install the anchors.
4. Secure the mounting plate to the wall.
5. Screw the anchor screws into the anchors.
6. Follow enclosed supplement installation instructions for electrical and fixture installation onto house wall.
7. Mount the fixture base onto the mounting plate and secure it with the fixture screws.

Kenney Collection (MF4000)



GENERATION BRANDS

Kenney Collection (MF4000) Replacement Parts

All New Replacement Parts:

Part Number	Description	Used On
SHA4000	SHADEL 9-5/8", W 14-1/2"	F3103/3SRS
SHB4000	SHADEL 14-1/8", W 14-1/8"	F3103/3SRS
SHC4000	SHADEL 35-5/8", W 9-1/2"	F3104/5SRS
SHD4000	SHADEL 7-1/8", W 9-1/2"	F3104/5SRS
SHE4000	SHADEL 35-3/8", W 6-7/8"	F3104/5SRS
SHF4000	SHADEL 7", W 11"	FM499SRS
SHG4000	SHADEL 10-3/4", W 10-3/4"	FM499SRS
SHH4000	SHADEL 4-1/2", W 13-5/8"	P1421SRS
SHI4000	SHADEL 4-1/8", W 4-1/8"	P1421SRS
SHJ4000	SHADEL 13-5/8", W 3-1/4"	WB1819SRS
SHK4000	SHADEL 13-5/8", W 5"	WB1820SRS-LED
SHL4000	SHADEL 5-1/2", W 11-3/4"	WB1821SRS-LED
SHM4000	SHADEL 5-1/2", W 23-1/4"	WB1822SRS-LED
SHN4000	SHADEL 5-1/2", W 34-1/2"	
CKA4000	Canopy Kit-A, including canopy(ø5"), Mtg bar(1/4-18UNF), hex nut(2), RTN, screw collar(ø23MM), Swivel(1/4-18UNF)	F3103/3SRS
CKB4000	Canopy Kit-B, including canopy(ø5"), Mtg bar(1/8-27UNF), hex nut(2), RTN, screw collar(ø23MM), Swivel(1/8-27UNF)	P1421SRS
CKC4000	Canopy Kit-C, including canopy(16" L * 5 1/2" W), Swivel(1/4-18UNF, 2PCS), mounting plate(5/32-32UNF), screw (5/32-32UNF, 4PCS), hex nut(1/4-18UNF, 2PCS), lockwasher(2PCS), teinforce plate, wooden screw(4), plastic bolt(4)	F3104/5SRS
HB4000	Hardware Bag, including MTG bar, screw & hex nut (2), cap nut (2)	FM499SRS, WB1819SRS

GENERATION BRANDS