

# Holloway 4 Light Pendant

F2941/4

1.1

# FEISS®

EST. 1955

**Pendant**

## GENERAL PRODUCT INFORMATION:

These fixtures are intended to be installed utilizing NEC compliant junction boxes.

This product is safety listed for dry locations only.


This product may be dimmed with a standard incandescent dimmer.

This instruction shows a typical installation.

### CAUTION - RISK OF FIRE

This product must be installed in accordance with the applicable installation code by a person familiar with the construction and operation of the product and the hazards involved.

Use minimum 90°C supply conductors.




- 1** Place the shade housing over the shade assembly and screw the shade assembly to the stem assembly.
- 2** Place the socket assembly inside of the shade assembly and secure it by screwing it in.
- 3** Screw the lamps into the sockets. Refer to the label on the lamp socket for Max Wattage information.
- 4** Follow enclosed supplement installation instructions for electrical and fixture installation onto house outlet box.

**ATTENTION : RISQUE D'INCENDIE**

Ce produit doit être installé conformément au code d'installation en vigueur par une personne familière avec la construction et l'exploitation du produit et les risques qu'il entraîne.

**Utiliser les conducteurs d'alimentation supérieure à 90° c.**




- 1** Placez le couvercle de l'abat-jour sur l'assemblée de l'abat-jour et vissez l'assemblée de l'abat-jour à l'assemblée de la tige.
- 2** Placer l'assemblée de douille à l'intérieur de l'assemblée de l'abat-jour et fixez-la en place par vissant il dans.
- 3** Vissez le ampoule dans le douille. Reportez-vous à l'étiquette sur la douille de lampe Puissance max pour plus d'informations.
- 4** Suivez les instructions d'installation jointes supplément pour l'installation électrique et de fixation sur la boîte de sortie de la maison.

**PRECAUCIÓN: RIESGO DE INCENDIO**

Este producto debe instalarse de acuerdo con el código de instalación aplicable por una persona familiarizada con la construcción y operación del producto y los riesgos que conllevan.

**Utilizar conductores de suministro mínimo 90° c.**



- 1** Coloque la cubierta de la pantalla sobre la asamblea de la pantalla y atornille la asamblea de la pantalla a la asamblea de tallo.
- 2** Coloque la asamblea de el enchufe en el interior de la asamblea de la pantalla y fíjelo atornillándolo al interior.  
Enrosque la bombilla en el enchufe. Consulte la etiqueta en el enchufe de la lámpara para obtener información de Max Wattage.
- 3**
- 4** Siga las instrucciones de Instalación incluido suplemento para eléctricos e instalación de la lámpara en la caja de enchufe de casa.

**SAVE THESE INSTRUCTIONS!**

**FEISS**<sup>®</sup>

EST. 1955

7400 Linder Ave, Skokie, IL 60077

800.969.3347

**[www.Feiss.com](http://www.Feiss.com)**

© 2015 Feiss. All rights reserved. The "Feiss" graphic is a registered trademark of Feiss. Feiss reserves the right to change specifications for product improvements without notification.

A Generation Brands Company