



Declaration of Performance

in accordance to Bauprodukteverordnung EU Nr. 305/2011

DOP DF14 01-2026

1	AMORIM / Wicanders® Multilayer Parquet Flooring	EN13489
---	---	---------

2	Flooring for Interior installation
---	------------------------------------

3	Amorim Deutschland GmbH; Berner Str. 55 , D-27751 Delmenhorst
---	---

4	System of assessment and verification of constancy of performance	3
---	---	---

Declared performance

5	Thickness	14 mm	EN14342
	Density	$\geq 500 \text{ kg/m}^3$	
	Reaction to fire	Dfl-s1	
	Formaldehyd emissions ¹⁾	E1	
	Thermal conductivity	0,110 W/mK	
	Slip resistance	no specification	

The performance of the product identified in point 1. is in conformity with the declared performance in point 5.

This declaration of performance is issued under the sole responsibility of the producer / distributor identified in point 3.

6 Signed for and on behalf of the producer / distributor by:

Jan 2026

Tomas Cordes, Head of Branch

**AMORIM
CORK
SOLUTIONS**

Amorim Deutschland GmbH

Berner Str. 55 · D-27751 Delmenhorst
T +49 (0)4221 593 01 · F +49 (0)4221 593 50
info.zcf.de@amorim.com

Name of the notified test laboratory, that has issued the certificate

7 Entwicklungs- und Prüflabor Holztechnologie GmbH Zellescher Weg 24, 01217 Dresden, Germany, email: info@eph-dresden.de www.eph-dresden.de, phone: 49 351 46620, Test report: 252526

8 ¹⁾ The test laboratory (7) analysed in accordance to harmonized EU-Norm and issued an appropriate certificate. Due to underlying system of assessment (4), the initial inspection and constant supervision as well as the resulting evaluation has to be achieved by the producer / distributor.