
## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light

sources	ELEGATED REGUL	-AHON (EU) 2019/2	2015 with regard to energ	gy labelling of light			
Supplier's name	e or trade mark:	XXXLutz KG					
Supplier's address: Importableilung, Römerstraße 39, 4600 Wels, AT							
Model identifie	r: 24240079-01						
Type of light so	urce:						
Lighting technology used:		other	Non-directional or directional:	DLS			
Light source cap-type		Caron Socket					
(or other electric interface)							
Mains or non-mains:		MLS	Connected light source (CLS):	No			
Colour-tuneable light source:		No	Envelope:	-			
High luminance light source:		No					
Anti-glare shield:		No	Dimmable:	Yes			
		Product para					
Parameter		Value	Parameter	Value			
		General product p	<u></u>	I			
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		2	Energy efficiency class	G			
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		80 in Narrow cone (90°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	60007000			
On-mode power (P <sub>on</sub> ), expressed in W		10,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,50			
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	63			
Outer dimen-	Height	385	Spectral power dis-	See image			
sions without	Width	31	tribution in the	in last page			
separate con- trol gear, light- ing control		31	range 250 nm to 800 nm, at full-load				

parts and non- lighting con- trol parts, if any (millime- tre)							
Claim of equivalent power <sup>(a)</sup>		-	If yes, equivalent power (W)	-			
			Chromaticity coordi-	0,285			
			nates (x and y)	0,262			
Parameters for directional light sources:							
Peak luminous intensity (cd)		431	Beam angle in degrees, or the range of beam angles that can be set	90			

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 15/09/2025.



EPREL registration number: 2412209 https://eprel.ec.europa.eu/qr/24

12209

Supplier: XXXLutz KG (Importer) Website:

**Customer care service:** 

Name: Importableilung Website:

Email: EPREL-info@xxxlgroup.com Phone: +43 50 111 500 949

Address:

Römerstraße 39 4600 Wels Austria