



POLAR TW

Domus Line
design

Tunable White LED luminaire for under-cabinet lighting

Materials:

aluminium, PMMA

Finish:

aluminium, black matt, glossy white

Light source:

TW LED module

Connector:

MOS

Wiring:

2000mm


Application:

under-cabinet, under-shelf

Installation:

surface

POLAR TW is a luminaire made entirely of aluminium with a thickness of only 4mm. **POLAR TW** has been designed for rapid mounting on the surface and on the wall with only two screws. **POLAR TW** integrates Tunable White technology, used for dynamic control or static selection of the colour temperature.



Colour appearance	Tunable white
Colour temperature	3100-6000 K
Luminous flux	270 lm
Luminous efficiency	75 lm/W
CRI	Ra ≥ 80




POLAR TW
without switch



Code	Watt & Volt	Light colour	Finish
1227505/TW	3.5W @ 24Vdc	tunable white	aluminium
1227532/TW	3.5W @ 24Vdc	tunable white	black matt
1227556/TW	3.5W @ 24Vdc	tunable white	glossy white

LED CONVERTER AND TW SEQUENCER NOT INCLUDED. TO BE ORDERED SEPARATELY.



FOR LED CONVERTERS AND ACCESSORIES SEE PAGE 129.



FOR OTHER ACCESSORIES AND LED CONVERTERS SEE THE **DOMUS EXTRA CATALOGUE**.



Domus Line Tunable White (TW) luminaires integrate Twin LED technology. LED clusters and LED strips are developed with pairs of luminous diodes used for the dynamic control or static selection of the luminaire colour temperature, in a scale of shades from warm white light (WW - warm white) and cool white light (CW - cool white), passing through natural white light (NW - natural white).



SETS OF 2, 3, 4 OR 5 AVAILABLE ON REQUEST
POLAR TW WITH LED CONVERTER AND SPECIFIC COLOUR TEMPERATURE SELECTOR.

FINISHES



ALUMINIUM (code 05)



BLACK MATT (code 32)



GLOSSY WHITE (code 56)