Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name	e or trade mark:	Воххх					
Supplier's addr	ess: Importabteil	ung, Römerstraße 3	39, 4600 Wels, AT				
Model identifie	er: 40240007-02						
Type of light so	urce:						
Lighting technology used:		LED	Non-directional or directional:	NDLS			
Light source cap-type		LED-Module					
(or other electri	ic interface)						
Mains or non-mains:		NMLS	Connected light source (CLS):	No			
Colour-tuneable	e light source:	No	Envelope:	-			
High luminance	light source:	No					
Anti-glare shield:		No	Dimmable:	No			
Product parameters							
Parameter		Value	Parameter	Value			
General product parameters:							
<u> </u>	mption in on- 100 h), rounded st integer	3	Energy efficiency class	F			
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		280 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000			
On-mode power (P _{on}), expressed in W		3,0	Standby power (P _{sb}), expressed in W and rounded to the second decimal	0,00			
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80			
Outer	Height	2	Spectral power	See image			
dimensions without	Width	65	distribution in the	in last page			
without	Depth	65					

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)			range 250 nm to 800 nm, at full-load				
Claim of equivalent power ^(a)		-	If yes, equivalent power (W)	-			
			Chromaticity	0,437			
			coordinates (x and y)	0,404			
Parameters for LED and OLED light sources:							
R9 colour rendering index value		6	Survival factor	0,90			
the lumen maintenance factor		0,95					

(a)'-': not applicable; (b)'-': not applicable;

