




A186

AUFBAUANLEITUNG - ASSEMBLY INSTRUCTION






Gleiter Aufsatz **40x10 mm**
Glide cap 40x10 mm




Gleiter Basic **40x10 mm**
Glide Basic 40x10 mm




U-Scheibe **22 mm**
Plain washer 22 mm




Mutter **M 8**
Nut M 8




U-Scheibe **8,5 mm**
Plain washer 8.5 mm



Flanschkopfschraube **8x60 mm**
Flange head screw 8x60 mm



Flanschkopfschraube **8x30 mm**
Flange head screw 8x30 mm



Spaxschraube **5x40 mm**
Spax screw 5x40 mm




Gewindestift **8x60 mm**
Set screw 8x60 mm




Gewindestift **8x110 mm**
Set screw 8x110 mm







Gewindestift **8x120 mm**
Set screw 8x120 mm



Inbusschlüssel **5 mm**
Allen key 5 mm




Sechskant Steckschlüssel
Hexagon socket spanner




! Hinweis / Note:

Für den Aufbau werden zwei Monteure benötigt. Somit vermeiden Sie Beschädigungen im Vorfeld.


Two persons are needed for the assembly. This prevents damage in advance.



1 Montage Plateau / Platform assembly





2





3

Flanschkopfschraube 8x60 mm
Flange head screw 8x60 mm



4

Flanschkopfschraube 8x30 mm
Flange head screw 8x30 mm







4-Kant Metallkufe
Metal square-cut runner

Schwertkufe
Aluminium casting sword runner


4 +

Gleiter Basic 40x10 mm
Glide basic 40x10 mm

Gleiter Aufsatz 40x10 mm
Glide cap 40x10 mm








5



U-Scheibe 22 mm
Plain washer 22 mm

5+






6


Montage Sitzpolster, Festes Element / *Seat cushion assembly, fixed element*



Gewindestift 8x110 mm
Selfscrew 8x110 mm




7




8



Mutter **M 8**
Nut **M 8**




U-Scheibe **8,5mm**
Plain washer **8.5 mm**




9

Montage Sitzpolster, Schwenkelement / *Seat cushion assembly, swivel element*



Gewindesttift 8x60 mm
Setscrew 8x60 mm




10




Mutter M 8
Nut M 8




U-Scheibe 8,5mm
Plain washer 8.5 mm




11 Montage Sitzpolster, Drehelement / *Seat cushion assembly, rotary element*



12



13 Funktionstest / Functional test



14 Montage Rücken / Back assembly




Gewindesttift **8x120 mm**
Setscrew **8x120 mm**




Mutter **M 8**
Nut **M 8**



U-Scheibe **8,5 mm**
Plain washer **8.5 mm**



15 Funktionstest / Functional test



16 Funktionstest / Functional test

