

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product	Range Hood
Name and address of the applicant	Elica SPA VIA ERMANNO CASOLI 2 FABRIANO, 60044 AN Italy
Name and address of the manufacturer	Elica SPA VIA ERMANNO CASOLI 2 FABRIANO, 60044 AN Italy
Name and address of the factory <i>Note: When more than one factory, please report on page 2</i>	ELICA GROUP POLSKA SP Z O O UL INZYNIERSKA 3 JELCZ LASKOWICE, 55-221 Poland <input checked="" type="checkbox"/> Additional Information on page 2
Ratings and principal characteristics	220-240 or 230V 50/60Hz, 220-240 or 230V 50Hz or 220V 60Hz, Max 340W (See Test Report for details)
Trademark (if any)	Elica
Type of Customer's Testing Facility (CTF) Stage used	CTF Stage 1
Model / Type Ref.	E076B II and E076C II See Page 2, 3, 4
Additional information (if necessary may also be reported on page 2)	<input checked="" type="checkbox"/> Additional Information on page 2
A sample of the product was tested and found to be in conformity with	IEC 60335-1(ed.5), IEC 60335-2-31(ed.5)
As shown in the Test Report Ref. No. which forms part of this Certificate	4788058069.12.1 (Orig.4787838110.47.1) issued on 2017-09-21

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2017-09-26
Original Issue Date: 2017-05-04

Signature:

Jan-Erik Storgaard

Model Details:

ADDITIONAL INFORMATION						
Type/Code identification						
This Test Report covers the following type and associated code identifying the Electrical configuration:						
Type: E076B II or E076C II + Code. (i.e. E076B II 1M20NG 2H P B or E076C II 1S40BD 2H P B)						
No.	Type	Code (Electrical Configuration)	Rated Input (W)	Rated Voltage (V)	Frequency (Hz)	Distance from Electric/gas Hob (cm)
1	E076B II	1M20NG 2H P B	160	220-240 or 230	50/60	50/65
2	E076B II	1M20NG 2L P B	200	220-240 or 230	50/60	50/65
3	E076B II	1M20NG 2A P B	176	220-240 or 230	50/60	50/65
4	E076B II	1K42NG 2H P B	220	220-240 or 230	50/60	50/65
5	E076B II	1S35NG 2H P B	220	220-240 or 230	50/60	50/65
6	E076B II	1S35NG 2L P B	260	220-240 or 230	50/60	50/65
7	E076B II	1S35NG 2A P B	236	220-240 or 230	50/60	50/65
8	E076B II	1M20NG 3H P B	180	220-240 or 230	50/60	50/65
9	E076B II	1S40BD 2H P B	290	220-240 or 230	50	50/65
10	E076B II	1S40BD 2H1 P B	270	220-240 or 230	50	50/65
11	E076B II	1S40BF 2H P B	300	220-240 or 230	50	50/65
12	E076B II	1S40BF 2H1 P B	280	220-240 or 230	50	50/65
13	E076B II	1S48BD 2H P B	260	220-240 or 230	50	50/65
14	E076B II	1S48BD 2H1 P B	240	220-240 or 230	50	50/65
15	E076C II	1M20NG 4H P B	200	220-240 or 230	50/60	50/65
16	E076C II	1S35NG 4H P B	260	220-240 or 230	50/60	50/65
17	E076C II	1M20NG 2H P B	160	220-240 or 230	50/60	50/65
18	E076C II	1S40BD 2H P B	290	220-240 or 230	50	50/65
19	E076C II	1S40BD 4H1 P B	290	220-240 or 230	50	50/65
20	E076C II	1S40BD 4H P B	330	220-240 or 230	50	50/65
21	E076C II	1S40BF 2H P B	300	220-240 or 230	50	50/65
22	E076C II	1S40BF 4H1 P B	300	220-240 or 230	50	50/65
23	E076C II	1S40BF 4H P B	340	220-240 or 230	50	50/65
24	E076B II	1M20NG 2E P B	125	220-240 or 230	50/60	50/65
25	E076B II	1K42CX 2H P B	180	220-240 or 230	50/60	50/65
26	E076B II	1K42CX 2E P B	145	220-240 or 230	50/60	50/65
27	E076B II	1S35CB 2H P B	215	220-240 or 230	50/60	50/65
28	E076B II	1S35CB 2E P B	180	220-240 or 230	50/60	50/65
29	E076B II	1S40CB 2H P B	290	220-240 or 230	50	50/65
				220	60	

Additional information (if necessary)



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2017-09-26
Original Issue Date: 2017-05-04

Signature: 
Jan-Erik Storgaard

No.	Type	Code (Electrical Configuration)	Rated Input (W)	Rated Voltage (V)	Frequency (Hz)	Distance from Electric/gas Hob (cm)
30	E076B II	1S40CB 2E P B	255	220-240 or 230	50	50/65
				220	60	
31	E076B II	1S40CG 2H P B	290	220-240 or 230	50	50/65
				220	60	
32	E076B II	1S40CG 2E P B	255	220-240 or 230	50	50/65
				220	60	
33	E076B II	1S40BD 2E P B	255	220-240 or 230	50	50/65
34	E076B II	1S48BD 2E P B	225	220-240 or 230	50	50/65
35	E076C II	1K42CX 2H P B	180	220-240 or 230	50/60	50/65
36	E076C II	1K42CX 4H P B	220	220-240 or 230	50/60	50/65
37	E076C II	1K42CX 4E P B	150	220-240 or 230	50/60	50/65
38	E076C II	1S35CB 2H P B	215	220-240 or 230	50/60	50/65
39	E076C II	1S35CB 4H P B	255	220-240 or 230	50/60	50/65
40	E076C II	1S35CB 4E P B	185	220-240 or 230	50/60	50/65
41	E076C II	1S40CB 2H P B	290	220-240 or 230	50	50/65
				220	60	
42	E076C II	1S40CB 4H P B	330	220-240 or 230	50	50/65
				220	60	
43	E076C II	1S40CB 4E P B	260	220-240 or 230	50	50/65
				220	60	
44	E076B II	1S48CD 2E P B	205	220-240 or 230	50/60	50/65
45	E076B II	1S48CD 2H P B	240	220-240 or 230	50/60	50/65
46	E076C II	1S48CD 4E P B	210	220-240 or 230	50/60	50/65
47	E076C II	1S48CD 4H P B	280	220-240 or 230	50/60	50/65
48	E076B II	1K33CX 2A P B	191	220-240 or 230	50/60	50/65
49	E076B II	1K33CX 2E P B	140	220-240 or 230	50/60	50/65
50	E076B II	1K33CX 2H P B	175	220-240 or 230	50/60	50/65
51	E076B II	1K33CX 3H P B	195	220-240 or 230	50/60	50/65

Additional information (if necessary)



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2017-09-26
Original Issue Date: 2017-05-04

Signature: 
Jan-Erik Storgaard

No.	Type	Code (Electrical Configuration)	Rated Input (W)	Rated Voltage (V)	Frequency (Hz)	Distance from Electric/gas Hob (cm)
52	E076C II	1K33CX 2H P B	175	220-240 or 230	50/60	50/65
53	E076C II	1K33CX 4H P B	215	220-240 or 230	50/60	50/65
54	E076C II	1K33CX 4E P B	145	220-240 or 230	50/60	50/65
55	E076B II	1K33CX 2B P B	141	220-240 or 230	50/60	50/65
56	E076B II	1S35NG 2B P B	186	220-240 or 230	50/60	50/65
57	E076B II	V 2E P B	10	220-240 or 230	50/60	50/65

ELECTRICAL CONFIGURATIONS EVALUATED IN THE PRESENT TEST REPORT (AMEND.1):

58	E076B II	1S48CM 1SE R B	217	220-240 or 230 220	50 60	50/65
----	----------	----------------	-----	-----------------------	----------	-------

Explanation of type/electrical configuration:

E076B or E076C	= Type of construction
II	= Insulation Class
xKy, xMy, xSy or xV	= Number and kind of Motors or Valve ¹⁾
xL, xA, xH, xH1, xE, xSE or xB	= Number and kind of lamps ("L" Incandescent Bulb Lamp, "A" high voltage Halogen Lamps, "H" low voltage halogen lamp 20 W, "H1" low voltage halogen lamp 10 W, "E" Spot Led Lamp, "SE" Strip Led or "B" Led Bulb Lamp).
P or R	= Kind of Control ("P" Push Button or "R" Rotary Switch)
B	= For UK (tested for/at 240V)

Remark: x is a number (one or more digit), y is a sequence of alphanumerical characters of any length (see Type/Code identification table). ¹⁾ without number on prefix indicates one Lamp, Motor or Valve

Factories:

ELICA SPA
LOCALITA MONTIRONE
MERGO, 60030 AN Italy

Additional Information:

Also investigated to IEC 60335-1(ed.5)am1, EN 60335-1:2012/ A11:2014, EN 60335-2-31:2014, EN 62233:2008
National Differences specified in the CB Test Report

The original report was modified to include the following changes/additions:

- Addition of new model E076B II 1S48CM 1SE R B, configuration from No. 58 as listed in the Additional Information, identical to electrical configurations evaluated in the previous test report except that provided with a different Control Assembly CA 0372, Light Assembly LA 0136 and Motor Assembly MA 0274.
- Addition of new Control Assembly CA 0372 provided with new Power Switch code R1.
- Addition of new Light Assembly LA 0136 provided with new Strip Led code RHPS534.
- Addition of new Motor Assembly MA 0274 provided with new motor code S48 016.
- In the "Explanation of type/electrical configuration" the "xSE" part of the model number and the definition of SE" for lamps code were added, the "R" part of the model number for controls was added

Additional information (if necessary)



- UL (US), 333 Pflingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/nbcnames

Date: 2017-09-26
Original Issue Date: 2017-05-04

Signature:
Jan-Erik Storgaard