Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

sources		- (-,,	io 13 With regard to energ	0, 111 01 01			
Supplier's name or trade mark: Boxxx Supplier's address: Importableilung, Römerstraße 39, 4600 Wels, AT							
							Model identifier: 82271548-01
Type of light so	urce:						
Lighting techno	logy used:	LED	Non-directional or directional:	NDLS			
Light source cap-type		LED Module					
(or other electric interface)							
Mains or non-m	nains:	NMLS	Connected light source (CLS):	No			
Colour-tuneable light source:		No	Envelope:	-			
High luminance light source:		No					
Anti-glare shield:		No	Dimmable:	No			
		Product para	T				
Parameter		Value	Parameter	Value			
		General product p		_			
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		3	Energy efficiency class	F			
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		280 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000			
On-mode power (P _{on}), ex- pressed in W		3,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00			
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80			
Outer dimen-	Height	113	Spectral power dis-	See image			
sions without separate con- trol gear, light- ing control	Width Depth	3 1	tribution in the range 250 nm to 800 nm, at full-load	in last page			

parts and non- lighting con- trol parts, if any (millime- tre)							
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-				
		Chromaticity coordi-	0,442				
		nates (x and y)	0,402				
Parameters for LED and OLED light sources:							
R9 colour rendering index value	8	Survival factor	1,00				
the lumen maintenance factor	0,97						

(a)'-': not applicable; (b)'-': not applicable;

