








1.


MM680_05

rauch




Typ I

Typ II




2.

200




6,3x14

201




4x15

202




4,5x16

427




4x20

428




492




3x15

856




916



Ad




Sf




140-270

Dk




1



Typ I



Typ II





0 20 40 60 80 100 mm

MM680

3.



4.




5.

6 200 202 856


Typ I

Typ II



7 427


Typ II






6.

8 202

Typ II





7.



MM680

8.








MM680


1.

MM304_04


rauch




TYP 1




S2




TYP 2




S3




TYP 3



S4



TYP 4




S5

MM304


2.

TYP 1



200



FU010 4x




4x

M6x20

221



221




FU010

MM304

3.


TYP 2



4x


M6x20

221





2x

1120




↔ ≥ 140cm ↔



↔ ≥ 140cm ↔

4.


TYP 3



8x


M6x20

221





1x

1120




↔ ≥ 140cm ↔



↔ ≥ 140cm ↔

TYP 4




FU010 4x

16x


M6x20

221




1x


1120



↔ ≥ 140cm ↔



FU010



1119

1120

1118


↔ ≥ 140cm ↔

1.


ME641_05

rauch



Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse <E>




Typ I




Typ II





Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse <E>




Typ III



Typ IV




2.




Typ I

Typ II





Typ III

Typ IV





ME641



3.




4.




5.






6.



6




7.



ME641

8.



ME641