## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

## Supplier's name or trade mark: novel

Supplier's address: Importabteilung, Römerstraße 39, 4600 Wels, AT

Model identifier: 82270787-02

## Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS			
Light source cap-type	LED Module					
(or other electric interface)						
Mains or non-mains:	NMLS	Connected light source (CLS):	No			
Colour-tuneable light source:	Yes	Envelope:	-			
High luminance light source:	No					
Anti-glare shield:	No	Dimmable:	Yes			
Product parameters						

		Product para	neters			
Parameter		Value	Parameter	Value		
General product parameters:						
Energy consum mode (kWh/100 up to the nearest	0 h), rounded	5	Energy efficiency class	F		
Useful luminous indicating if it re- in a sphere (360 cone (120º) or in (90º)	fers to the flux 0°), in a wide	440 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	30006500		
On-mode po expressed in W	ower (P <sub>on</sub> ),	5,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the second decimal	0,12		
Networked stand for CLS, express rounded to the so	sed in W and	-	Colour rendering index, rounded to the nearest integer, or the range of CRI- values that can be set	80		
Outer	Height	1	Spectral power	See image		
dimensions	Width	20	distribution in the	in last page		
without	Depth	224				
I	-		1	Page 1		

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load	
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-
		Chromaticity	0,431
		coordinates (x and y)	0,399
Parameters for LED and OLED light	t sources:	1	
R9 colour rendering index value	7	Survival factor	1,00
the lumen maintenance factor	0,96		
(a),		I	

(a)<sub>'-'</sub> : not applicable;

(b)'-' : not applicable;

