

**Nachweis zur Verwendung von Materialien**  
**Declaration of use of materials**

Wir, *Langfang Yudong Furniture Co.,LTD.*, bestätigen hiermit, dass die folgenden Produkte oder Materialien bei den aufgeführten Modellen (Modelnummern) verwendet werden.

*We, Langfang Yudong Furniture Co.,LTD., declare that the following products or material are used within factory models no.*

<b>Verwendetes Produkt / Material</b> <i>Used product / material</i>	<b>Prüfberichtsnummer</b> <i>Test report number</i>	<b>Verbaut bei (Lutz Gruppe Artikelnummer)</b> <i>Used by (Lutz Group Article number)</i>
<i>Fabric LH2503</i>	<i>SHO15 129432</i>	<i>16340065/01/02/03</i>
<i>foam</i>	<i>70.404.26.10846.01</i>	<i>16340065/01/02/03</i>
<i>zipperteeth</i>	<i>70.404.26.10846.01</i>	<i>16340065/01/02/03</i>
<i>Black powder</i>	<i>70.404.26.10846.01</i>	<i>16340065/01/02/03</i>
<i>Black plastic</i>	<i>70.404.26.10846.01</i>	<i>16340065/01/02/03</i>
<i>Black non-woven fabric</i>	<i>70.404.26.10846.01</i>	<i>16340065/01/02/03</i>
<i>wood</i>	<i>70.404.26.10368.02</i> <i>70.404.26.10846.01</i>	<i>16340065/01/02/03</i>
<i>LIO</i>	<i>70.404.25.13998.01</i>	<i>16340065/01/02/03</i>

20.04.2026

*Datum / Date*

*Tina*

*Supplier Authorized Signature / Company Stamp*





# Test Report

No.: 70.404.25.13804.01

Date: 2025-11-12

**Applicant:** LANGFANG YUDONG FURNITURE CO.,LTD  
**Address:** 3 STREET,TANGERLI TOWN,BAZHOU CITY,HEBEI PROVINCE  
**Product Name:** Chair  
**Model No.:** YD-C2508116  
**Receipt Date of Sample:** 2025-10-30  
**Date of Testing:** From 2025-10-30 to 2025-11-11  
**Sample Submitted:** The sample(s) was (were) submitted by applicant and identified.  
**Test Result:** Refer to the data listed in following pages

## Test Item

1. EN 12520:2024 Furniture - Safety, strength and durability – Requirements for domestic seating, Excluding clause 6 Information for use
2. EN 1022:2023 Furniture - Seating - Determination of stability

## Conclusion

Pass  
(See remarks)  
Pass

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch  
Testing Center

Prepared by:

Authorized by:

Jenny Yao  
Project Handler



Steven Xu  
Technical Reviewer

## Note:

- (1) The TÜV SÜD Certification and Testing (China) Co., Ltd. "General Terms & Conditions" applied. Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question. It does not imply a general statement regarding the quality of products from regular production. For further details please see "Testing, Certification, Validation and Verification Regulations", chapter A-3.3. For full version, please visit: EN : <https://www.tuvsud.cn/zh-cn/resource/terms-and-conditions---en> ; SCN: <https://www.tuvsud.cn/zh-cn/terms-and-conditions> ; TCN: <https://www.tuvsud.com/zh-tw/terms-and-conditions>
- (2) Sample and (or) material information is provided by the client. TÜV SÜD assumes no responsibility for verifying the accuracy, appropriateness and (or) completeness of the information provided by the client.
- (3) The testing results are only valid for the sample tested.
- (4) The test report shall not be reproduced except in full, without the written approval of the laboratory.
- (5) Disclaimer Measurement Uncertainty:  
Unless otherwise agreed upon, Pass or Fail verdicts are given based on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

Description of Tested Subject:

1	Dimensions / Weight	D609 x W545 x H873 (mm) / 6.8 (kg)	
Front view		Side view	
			
Back view		Bottom view	
			



# Test Report

No.: 70.404.25.13804.01

Date: 2025-11-12

## Test Result(s):

### 1. EN 12520:2024 Furniture - Safety, strength and durability – Requirements for domestic seating

Clause	Requirement-test item	Result, Remark	Evaluation
5	Safety, strength and durability		P
5.1	General safety requirements		P
5.1.1	General		P
5.1.2	Holes in tubular or rigid components		P
5.1.3	Shear and compression points		P
5.1.3.1	General		P
5.1.3.2	Shear and compression points when setting up and folding		P
5.1.3.3	Shear and compression points under influence of non-electrically powered mechanisms		N/A
5.1.3.4	Shear and compression points during use		P
5.2	Stability	See EN 1022 results.	P
5.3	Strength and durability		P
	Seat static load and back static load test EN 1728: 2012, 6.4	Seat Force: 1 300N Back Force: 450N Cycle: 10	P
	Seat front edge static load test EN 1728: 2012, 6.5	Force: 1 300N Cycle: 10	P
	Foot rest static load test EN 1728:2012, 6.8		N/A
	Leg rest static load test EN 1728:2012, 6.9		N/A
	Arm rest sideways static load test EN 1728:2012, 6.10	Force: 300N Cycle: 10	P
	Arm rest downwards static load test EN 1728:2012, 6.11	Force: 750N Cycle: 10	P
	Combined seat and back durability test EN 1728:2012, 6.17	Seat Force: 1 000N Back Force: 300N Cycle: 25 000	P
	Seat front edge durability test EN 1728:2012, 6.18	Force: 800N Cycle: 20 000	P
	Seat side-to-side durability test Annex A		N/A
	Arm rest durability test EN 1728:2012, 6.20	Force: 400N Cycle: 10 000	P
	Leg forward static load test EN 1728:2012, 6.15	Horizontal Force: 400N Seat load: 1 000N Cycle: 10	P
	Leg sideways static load test EN 1728:2012, 6.16	Horizontal Force: 300N Seat load: 1 000N Cycle: 10	P



Clause	Requirement-test item	Result, Remark	Evaluation
	Seat impact test EN 1728:2012, 6.24	Drop height: 180mm Cycles: 10	P
	Backward fall test EN 1728:2012, 6.28	Number of impacts: 5	P
	Back impact test EN 1728:2012, 6.25		N/A
	Durability of electrically operated seating products EN 13759:2012		N/A
5.4	Requirements		P
6	Information for use	No information for use was provided.	N/T

**2. EN 1022:2023 Furniture - Seating - Determination of stability**

Clause	Requirement-test item	Result, Remark	Evaluation
7	Test methods for assessing stability of all seating except loungers		P
7.1	General		-
7.2	Requirements		P
7.3	Test procedures, all seating		-
7.3.1	Forwards overturning		P
7.3.2	Forwards overturning for seating with foot rest		N/A
7.3.3	Corner stability test		N/A
7.3.4	Sideways overturning, all seating without arm rests		N/A
7.3.5	Sideways overturning, all other seating		P
7.3.5.1	General		-
7.3.5.2	Seating with arm rests		P
7.3.5.3	Seating with raised edges		N/A
7.3.6	Rearwards overturning all seating with back rests		P
7.4	Additional test procedures for seating with reclining back rests		N/A
7.4.1	General		-
7.4.2	Tilting seating		N/A
7.4.3	Reclining seating with leg rest		N/A
7.4.4	Reclining seating without leg rest		N/A
7.4.5	Rearwards stability test for rocking chairs		N/A
8	Loungers		N/A
8.1	General		-
8.2	Requirements		N/A
8.3	Test procedures		-
8.3.1	Forwards overturning		N/A
8.3.2	Sideways overturning		N/A
8.3.3	Rearwards stability - Upright position		N/A
8.3.4	Rearwards stability - Recline position		N/A

**Abbreviation:** P=Pass; F=Fail; N/A = Not Applicable; N/T=Not Tested; N/R=Not Requested

# Test Report

No.: 70.404.25.13804.01  
Date: 2025-11-12



**Remark:**

1. The sample has been examined according to the requirements described in the product standard
2. The information for use was not submitted by the client.

-End of Test Report-





# Test Report

No.: 70.404.25.13998.01

Date: 2025-11-21

**Applicant:** LANGFANG YUDONG FURNITURE CO.,LTD  
**Address:** 3 STREET,TANGERLI TOWN,BAZHOU CITY,HEBEI PROVINCE  
**Product Name:** chair  
**Model No.:** YD-C2508139  
**Receipt Date of Sample:** 2025-11-12  
**Date of Testing:** From 2025-11-12 to 2025-11-21  
**Sample Submitted:** The sample(s) was (were) submitted by applicant and identified.  
**Test Result:** Refer to the data listed in following pages

## Test Item

1. EN 12520:2024 Furniture - Safety, strength and durability – Requirements for domestic seating, Excluding clause 6 Information for use
2. EN 1022:2023 Furniture - Seating - Determination of stability

## Conclusion

Pass  
(See remarks)  
Pass

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch  
Testing Center

Prepared by:

Jenny Yao  
Project Handler

Authorized by:

Steven Xu  
Technical Reviewer

## Note:

- (1) The TÜV SÜD Certification and Testing (China) Co., Ltd. "General Terms & Conditions" applied. Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question. It does not imply a general statement regarding the quality of products from regular production. For further details please see "Testing, Certification, Validation and Verification Regulations", chapter A-3.3. For full version, please visit: EN : <https://www.tuvsud.cn/zh-cn/resource/terms-and-conditions---en> ; SCN: <https://www.tuvsud.cn/zh-cn/terms-and-conditions> ; TCN: <https://www.tuvsud.com/zh-tw/terms-and-conditions>
- (2) Sample and (or) material information is provided by the client. TÜV SÜD assumes no responsibility for verifying the accuracy, appropriateness and (or) completeness of the information provided by the client.
- (3) The testing results are only valid for the sample tested.
- (4) The test report shall not be reproduced except in full, without the written approval of the laboratory.
- (5) Disclaimer Measurement Uncertainty:  
Unless otherwise agreed upon, Pass or Fail verdicts are given based on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

Description of Tested Subject:

1	Dimensions / Weight	D643 x W605 x H854 (mm) / 9.4 (kg)	
Front view		Side view	
			
Back view		Bottom view	
			



Test Result(s):

1. EN 12520:2024 Furniture - Safety, strength and durability – Requirements for domestic seating

Clause	Requirement-test item	Result, Remark	Evaluation
5	Safety, strength and durability		P
5.1	General safety requirements		P
5.1.1	General		P
5.1.2	Holes in tubular or rigid components		P
5.1.3	Shear and compression points		P
5.1.3.1	General		P
5.1.3.2	Shear and compression points when setting up and folding		P
5.1.3.3	Shear and compression points under influence of non-electrically powered mechanisms		N/A
5.1.3.4	Shear and compression points during use		P
5.2	Stability	See EN 1022 results.	P
5.3	Strength and durability		P
	Seat static load and back static load test EN 1728: 2012, 6.4	Seat Force: 1 300N Back Force: 450N Cycle: 10	P
	Seat front edge static load test EN 1728: 2012, 6.5	Force: 1 300N Cycle: 10	P
	Foot rest static load test EN 1728:2012, 6.8		N/A
	Leg rest static load test EN 1728:2012, 6.9		N/A
	Arm rest sideways static load test EN 1728:2012, 6.10	Force: 300N Cycle: 10	P
	Arm rest downwards static load test EN 1728:2012, 6.11	Force: 750N Cycle: 10	P
	Combined seat and back durability test EN 1728:2012, 6.17	Seat Force: 1 000N Back Force: 300N Cycle: 25 000	P
	Seat front edge durability test EN 1728:2012, 6.18	Force: 800N Cycle: 20 000	P
	Seat side-to-side durability test Annex A	Force: 1 100N Cycle: 10 000	P
	Arm rest durability test EN 1728:2012, 6.20	Force: 400N Cycle: 10 000	P
	Leg forward static load test EN 1728:2012, 6.15		N/A
	Leg sideways static load test EN 1728:2012, 6.16		N/A
	Seat impact test EN 1728:2012, 6.24	Drop height: 180mm Cycles: 10	P



Clause	Requirement-test item	Result, Remark	Evaluation
	Backward fall test EN 1728:2012, 6.28	Number of impacts: 5	P
	Back impact test EN 1728:2012, 6.25		N/A
	Durability of electrically operated seating products EN 13759:2012		N/A
5.4	Requirements		P
6	Information for use	No information for use was provided.	N/T

2. EN 1022:2023 Furniture - Seating - Determination of stability

Clause	Requirement-test item	Result, Remark	Evaluation
7	Test methods for assessing stability of all seating except loungers		P
7.1	General		-
7.2	Requirements		P
7.3	Test procedures, all seating		-
7.3.1	Forwards overturning		P
7.3.2	Forwards overturning for seating with foot rest		N/A
7.3.3	Corner stability test		N/A
7.3.4	Sideways overturning, all seating without arm rests		N/A
7.3.5	Sideways overturning, all other seating		P
7.3.5.1	General		-
7.3.5.2	Seating with arm rests		P
7.3.5.3	Seating with raised edges		N/A
7.3.6	Rearwards overturning all seating with back rests		P
7.4	Additional test procedures for seating with reclining back rests		N/A
7.4.1	General		-
7.4.2	Tilting seating		N/A
7.4.3	Reclining seating with leg rest		N/A
7.4.4	Reclining seating without leg rest		N/A
7.4.5	Rearwards stability test for rocking chairs		N/A
8	Loungers		N/A
8.1	General		-
8.2	Requirements		N/A
8.3	Test procedures		-
8.3.1	Forwards overturning		N/A
8.3.2	Sideways overturning		N/A
8.3.3	Rearwards stability - Upright position		N/A
8.3.4	Rearwards stability - Recline position		N/A

Abbreviation: P=Pass; F=Fail; N/A = Not Applicable; N/T=Not Tested; N/R=Not Requested

Remark:

- The sample has been examined according to the requirements described in the product standard
- The information for use was not submitted by the client.

-End of Test Report-

# Test Report

No.: 70.404.26.10368.02

Date: 2026-03-12




**Applicant:** LANGFANG YUDONG FURNITURE CO.,LTD  
**Address:** 3 STREET,TANGERLI TOWN,BAZHOU CITY,HEBEI PROVINCE  
**Product Name:** plywood  
**Receipt Date of Sample:** 2026-02-02  
**Date of Testing:** 2026-02-02 ~ 2026-02-09  
**Sample Submitted:** The sample(s) was (were) submitted by applicant and identified.  
**Test Result:** Refer to the data listed in following pages

## Test Item

1. Formaldehyde Released

**Conclusion**  
**Pass**

Remarks: 1. MDL = Method Detection Limit  
2. ND = Not Detected (<MDL)  
3. <= Less than  
4. 1 mg/kg = 1 ppm = 0.0001%



# Test Report

No.: 70.404.26.10368.02

Date: 2026-03-12



TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch  
Testing Center

Prepared by:

Authorized by:



**Jenny Yao**  
Technical Engineer


**Steven Xu**  
Technical Reviewer

## Note:

- (1) The TÜV SÜD Certification and Testing (China) Co., Ltd. "General Terms & Conditions" applied. Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question. It does not imply a general statement regarding the quality of products from regular production. For further details, please see "Testing, Certification, Validation and Verification Regulations", chapter A-3.3. For full version, please visit: EN : <https://www.tuvsud.cn/zh-cn/resource/terms-and-conditions---en> ; SCN: <https://www.tuvsud.cn/zh-cn/terms-and-conditions> ; TCN: <https://www.tuvsud.com/zh-tw/terms-and-conditions>
- (2) Sample and (or) material information is provided by the client. TÜV SÜD assumes no responsibility for verifying the accuracy, appropriateness and (or) completeness of the information provided by the client.
- (3) The testing results are only valid for the sample tested.
- (4) The test report shall not be reproduced except in full, without the written approval of the laboratory.
- (5) **Disclaimer Measurement Uncertainty:**  
Unless otherwise agreed upon, Pass or Fail verdicts are given based on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.



**Description of Tested Subject:**

Sample	Description	Photo
001	Plywood	



# Test Report

No.: 70.404.26.10368.02

Date: 2026-03-12



## Test Result(s):

### 1. Formaldehyde Released

Test with reference to EN 16516:2017+A1:2020 , determination by LC.

Parameter	MDL [ppm]	Limit [ppm]	Result(s) [ppm]
			001
Emission value	0.02	0.1	ND
Conclusion			Pass

## Remark:

1.  $0.1 \text{ ml/m}^3 = 0.1 \text{ ppm} = 0.124 \text{ mg/m}^3$
2. Limit was according to German Chemical Prohibition Act (ChemVerbotV).
3. Conditioning time change to 7 days.

-End of Test Report-



**Baugleichheitsbescheinigung  
Declaration of Identity**

Wir, Langfang Yudong Furniture Co.,LTD., bestätigen hiermit, dass die folgenden Produkte baugleich in Bezug auf das Design, die technische Konstruktion und der verwendeten Komponenten mit den Artikeln bei unserem Kunden sind.

We, Langfang Yudong Furniture Co.,LTD., declare that the following products are identical in design, technical construction and used components with the article of our customer.

Kunde / Customer

Bitte ankreuzen / Please choose

XXXLutz

BDSK

MX Logistika

Sontiges/ other: \_\_\_\_\_

<b>Produkt Bezeichnung</b> Product name	<b>Lieferant Artikelnummer</b> Supplier article number	<b>Lutz Gruppe Artikelnummer</b> Lutz Group article number
LIO	YD-C2508139	16340065/01/02/03

20.4.2026

\_\_\_\_\_  
Datum / Date

*Position of the signatory  
Supplier Company name and address*

Tina

\_\_\_\_\_  
Supplier Authorized Signature / Company Stamp

